REQUEST FOR PROPOSAL

For

UTT-KAN-046: ICT BASED SOLID WASTE COLLECTION

CONSTRUCTION, SUPPLY & INSTALLATION OF SOLID WASTE TRANSFER STATION AT VARIOUS LOCATIONS IN KANPUR CITY WITH DEFECT LIABILITY PERIOD OF ONE YEAR AND OPERATION & MAINTENANCE OF FIVE YEARS RT-1

Under
SMART CITY MISSION (SCM)
IN
(KANPUR, UTTAR PRADESH, INDIA)



ISSUED BY THE

KANPUR SMART CITY LIMITED

Kanpur Nagar Nigam, Motijheel

Kanpur – 208002

Phone: 0512-2541258, 2531215

Fax: 0512-2531662, Website: https://kanpursmartcity.in/

E-mail: ksclkanpur@gmail.com

KEY DATES

Kanpur Smart City Limited Invites Item Rate Bids Through E-Tendering From The Bidders Fulfilling The Eligibility Criteria Specified Here Under For Request For Proposal (Rfp) For Construction, Installation & Commissioning Of Solid Waste Transfer Stations At Various Locations In The Kanpur City With Defect Liability Period Of 1 Year And Operation & Maintenance Of Five Years.

Bid Information

| SI. No. | Events | Duration | |
|---------|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1 | RfP publishing Date | From 11 th September 2019 | |
| 2 | Cost of Bidding Document | The bidder shall have to submit <u>Rs.10,000/-</u> (<u>Rupees Ten Thousand only</u>) (Non Refundable) through a Demand Draft in favour of 'Chief Executive Officer, Kanpur Smart City Limited' payable at Kanpur. | |
| 3 | Nature of Contract | Item Rate Contract | |
| 4 | Method of Selection | Least Cost Selection(LCS) Method | |
| 5 | Pre-Bid Meeting Date, Time & Venue | 17th September 2019 at 04:00 PM at Conference Hall, Nagar Nigam Mukhyalay, 1st Floor, Moti Jheel, Kanpur. | |
| 6 | Last Date for submission of Bid (Online) | 3 rd October 2019 at 03:30 PM | |
| 7 | Last Date for submission of Bid (Hardcopy) | 3rd October 2019 at 4:00 PM at Kanpur Smart City Limited, 3 rd Floor, Kanpur Nagar Nigam Mukhyalaya, Motijheel, Kanpur | |
| 8 | Date & time for opening of Technical Bid | 3 rd October 2019 at 4:30 PM | |
| 9 | Validity of Bid | 180 days from the last date of online submission of bid. | |
| 10 | Bid Security (EMD) | Rs. 80,00,000/- (INR Eighty Lakhonly) in the form of BG / FDR / TDR from any Scheduled /Nationalized Bank. | |
| 11 | Date time and place of opening of Financial Bid | To be informed later. | |
| 12 | Address for communication | Chief Executive Officer, KSCL, Nagar Nigam Mukhyalay, Motijheel, Kanpur – 208002 | |

DISCLAIMER

The information contained in this Request for Proposal (RFP) document or subsequently provided to Bidders, whether verbally or in documentary form by or on behalf of Kanpur Smart City Limited or any of its employees, is provided to Bidders on the terms and conditions set out in this RFP document and any other terms and conditions subject to which such information is provided.

This RFP document is not an Agreement and is not an offer or invitation to any other party. The purpose of this RFP document is to provide the Bidders with information to assist the formulation of their Proposal submission. This RFP document does not purport to contain all the information each Bidder may require. This RFP document may not be appropriate for all persons and it is not possible for KSCL and their employees to consider the investment objectives, financial situation and particular needs of each Bidder. Certain Bidders may have a better knowledge of the proposed Project than others. Each recipient must conduct its own analysis of the information contained in this RFP document or to correct any inaccuracies therein that may appear in this RFP document and is advised to carry out its own investigation into the proposed Project, the legislative and regulatory regimes which applies thereto and by and all matters pertinent to the proposed Project and to seek its own professional advice on the legal, financial, regulatory and taxation consequences of entering into any agreement or arrangement relating to the proposed Project.

KSCL and their employees make no representation or warranty and shall incur no liability under the Law of Contract, Tort, the Principles of Restitution or unjust enrichment or otherwise for any loss, expense or damage, accuracy, reliability or completeness of the RFP document, which may arise from or be incurred or suffered in connection with anything contained in this RFP, any matter deemed to form part of this RFP document, the award of the Project, the information and any other information supplied by or on behalf KSCL or their employees, any consultants or otherwise arising in any way from the selection process for the Project.

KSCL may in its absolute discretion, but without being under any obligation to do so, can amend or supplement the information/clauses/articles in this RFP document. The information that KSCL is in a position to furnish is limited to this RFP and the information available at the contact addresses mentioned herein along with any amendments/ clarifications thereon. This RFP and the information contained herein are confidential and for use only by the person to whom it is issued. It may not be copied or distributed by the recipient to third parties (other than in confidence to the recipient's professional advisor). In the event that the recipient does not continue with the involvement in the project in accordance with RFP the information contained in the RFP shall not be divulged to any other party. The information contained in the RFP must be kept confidential. Mere submission of a responsive Bid/ Proposal does not ensure selection of the bidder as Concessionaire.

Instructions for Online Bid Submission

- i. Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at www.etender.up.nic.in
- Possession of valid Digital Signature Certificate (DSC) and enrolment/registration of the contractors/bidders on the e-Procurement/e-tender portal are prerequisite for etendering.
- iii. Bidder should register for the enrolment in the e-Procurement site using the "Online Bidder Enrolment" option available on the home page. Portal enrolment is generally free of charge. During enrolment/registration, the bidders should provide only valid and true information including valid email id. All the correspondence shall be made directly with the contractors/bidders through email id as registered.
- iv. Bidder need to login to the site through their user ID/ password chosen during enrolment/registration.
- v. Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/ nCode/ eMudra or any other Certifying Authority recognized by Controller of Certifying Authorities (CCA) India on eToken/Smart Card, should be registered.
- vi. The registered DSC only should be used by the bidder in the transactions and should ensure safety of the same.
- vii. Contractor/Bidder may go through the tenders published on the site and Download the tender documents/schedules for the tenders.
- viii. After Downloading/getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as required, otherwise bid will be rejected.
- ix. Any clarifications may be sought online through the tender site, through the contact details or during pre-bid meeting, if any. Bidder should take into account the corrigendum, if any published before submitting the bids online.
- x. Bidder may log in to the site through the secured login by the user id/password chosen during enrolment/registration and then by submitting the password of the e-Token/Smartcard to access DSC.
- xi. Bidder may select the tender in which he/she is interested in by using the search option and then move it to the 'my tenders' folder.
- xii. From my tender folder, he may select the tender to view all the details uploaded there.
- xiii. It shall be deemed that the bidder has read and understood all the terms and conditions before submitting the offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the incomplete bid shall stand rejected.
- xiv. Bidder should get ready the bid documents to be submitted as indicated in the tender document/schedule in advance and ordinarily it shall be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, all may be clubbed together and provided in the requested format. Bid documents may be scanned with 100 dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through zip/rar and the same, if permitted may be uploaded. The file size being less than 1 MB the transaction uploading time will be very fast.
- xv. The Bidders can update well in advance, the documents such as certificates, annual report details etc., under "My Space option" and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
- xvi. Bidder should submit the Tender Fee/ EMD as specified in the tender. The hard copy should be posted/couriered/given in person to the Tender Inviting Authority, within bid submission due date and time as indicated in the tender. Scanned copy of the instrument should be uploaded as part of the offer.

- xvii. While submitting the bids online, the bidder shall read the terms and conditions and may accept the same to proceed further to submit the bid packets.
- xviii. The bidder has to select the payment option as online to pay the Tender FEE/ EMD as applicable and enter details of the instruments.
- xix. The details of the DD/any other accepted instrument, physically delivered, should tally with the details available in the scanned copy and the data entered during bid submission time, otherwise submitted bid shall not be acceptable or liable for rejection.
- xx. The bidder has to digitally sign and upload the required bid documents one by one as indicated. The very act of using DSC for Downloading the bids and uploading their offers shall be deemed to be a confirmation that they have duly read, understood and agreed with all clauses of the bid document including General Conditions of Contract (GCC) without any exception.
- xxi. The bidder has to upload the relevant files required as indicated in the cover content.
- xxii. In case of any irrelevant files, the bid may be rejected.
- xxiii. If the price bid format is provided in a spread sheet file like BoQ_XXXX.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Priced-bid/BOQ template shall not be modified/replaced by the bidder; else the bid submitted is liable to be rejected for the tender.
- xxiv. The bidders are advised to submit the bids through online e-tendering system to the Tender Inviting Authority well before the bid submission due date and time (as per Server System Clock). The Authority shall not be held responsible for any delay or the difficulties faced during the submission of bids online by the bidders.
- xxv. After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number indicated by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and also be used as entry pass to participate in the bid opening.
- xxvi. The time settings fixed in the server side and displayed at the top of the tender site, shall remain valid for all actions of requesting, bid submission, bid opening etc., in the e-Tender system. The bidders should follow such time during bid submission.
- xxvii. All the data being entered by the bidders would be encrypted using Public Key Infrastructure (PKI) encryption techniques to ensure the secrecy of the data. The data entered is not retrievable by unauthorized persons during the bid submission and until the time of bid opening by any person.
- xxviii. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers' public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- xxix. The confidentiality of the bids is maintained with the use of Secured Socket Layer (SSL) 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- xxx. The bidder should logout of the tendering system using the normal logout option available at the top right hand corner and not by selecting the (X) exit option in the browser.
- xxxi. For any queries regarding e-Tendering process, the bidders may contact at address as provided in the tender document. Also, for any further queries, the bidders are advised to send a mail to **ksclkanpur@gmail.com**

<u>DETAILED INVITATION FOR BIDS (IFB)</u> NATIONAL COMPETITIVE BIDDING

- 1. The Chief Executive Officer, Kanpur Smart City Limited, Kanpur invites fresh bids for the works as detailed below
- 2. Prices quoted should be net inclusive of all taxes, duties, levies etc. but excluding of GST, must be in Indian Rupees and shall remain valid for 180 (one hundred and eighty) days from the closing date of bid.
- 3. Details may be downloaded from the e-procurement website www.etender.up.nic.in and the official website of KSCL, www.kanpursmartcity.in
- 4. Bid must be accompanied by a security of the amount as specified in the Bid Document payable at Kanpur and drawn in favour of the Employer. Bid security will have to be in any of the form as specified in the bidding document and shall have to be valid for at least 45 days beyond the validity of bids. Bid must also accompany a non-refundable bid document fee as specified in the bidding documents in the form of Demand Draft/Banker's Cheque on any nationalized/schedule bank payable at Kanpur in favor of the Employer. Bids received without nonrefundable document fee will be rejected.
- 5. Any Contractor whose work under KNN/KSCL has been rescinded due to any reason or having litigation with KNN/KSCL is also not eligible for this bidding process.
- 6. Other details can be seen in the detailed bid document.

| SI. No. | Name of the Work | Bid Security (Rs in Lakhs) | Period of Completion |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-------------------------|
| 1 | Construction, Installation & Commissioning Of Solid Waste Transfer Stations At Various Locations In The Kanpur City With Defect Liability Period Of 1 Year And Operation & Maintenance Of Five Years. | 80.00 | 180 Days |

Contents

| ISSUED BY THE | 1 |
|------------------------------------------------------------------|----|
| Fax: 0512-2531662, Website: https://kanpursmartcity.in/ | 1 |
| Bid Information | 2 |
| DISCLAIMER | 3 |
| Instructions for Online Bid Submission | 4 |
| DETAILED INVITATION FOR BIDS (IFB) | 6 |
| SECTION 1: INSTRUCTIONS TO BIDDERS (ITB) | 12 |
| A. General | 13 |
| 1. Scope of Bid | 13 |
| 2. Source of Funds | 13 |
| 3. Eligible Bidders | 13 |
| 4. Qualification of the Bidder | 14 |
| 4.4A Financial & Technical Requirements | 14 |
| 4.4 C Each bidder should further demonstrate: | 14 |
| 4.4D Technical personnel, Qualifications and Experience: | 14 |
| 4.5 Available Bid Capacity | 15 |
| 4.6 Disqualification | 16 |
| 5. One Bid per Bidder | 16 |
| 6. Cost of Bidding | 17 |
| 7. Site visit | 17 |
| B. Bidding Documents | 17 |
| 8. Content of Bidding Documents | 17 |
| 10. Amendment of Bidding Documents | 18 |
| C. Preparation of Bids | 18 |
| 11. Language of the Bid | 18 |
| 12. Documents comprising the Bid | 18 |
| Part-I shall be named "Technical Bid" and shall comprise | 18 |
| Part-II shall be named "Financial Bid" and shall be done through | 19 |
| - ONLINE SUBMISSION ONLY | 19 |
| 13. Bid Prices | 20 |
| 14. Currencies of Bid and Payment | 20 |
| 15. Bid Validity | 20 |
| 16. Bid Security | 21 |
| 17. Alternative Proposals by Bidders | 21 |
| 18. Format and Signing of Bid | 22 |
| D. Submission of Bids | 22 |
| 19. Sealing and Marking of Bids | 22 |

| 20. Deadline for Submission of the Bids23 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21. Late Bids |
| 22. Modification and Withdrawal of Bids23 |
| E. Bid Opening and Evaluation |
| 23. Bid Opening |
| Evaluation Process |
| Evaluation of Pre-Qualification Proposal24 |
| Evaluation of Technical Proposal25 |
| 23.18 Technical Evaluation Criteria |
| 23.19 Eligible Goods and Services, and OEM Criteria |
| i. The Bidder should be authorized by OEM (in respect of each product and its services) to quote against this tender |
| ii. MAF (Manufacturer's/ OEM Authorization Form) should be submitted by the lead Bidder, in case of a consortium26 |
| iii. The bidder shall bear all the statutory levies like customs, insurance, freight, etc. applicable on the goods during their shipment from respective manufacturing/shipment site of the OEM to the port of landing |
| iv. All charges including transportation charges that may be applicable till the goods are delivered at the respective site of installation shall also be borne by the bidder.26 |
| v. The bidder should take a specific insurance policy from a Third party for the Projec providing insurance coverage against loss of or damage to etc |
| vi. The Bidder shall quote only one specific make and model from only one specific OEM, for each of the goods. Providing more than one option shall not be allowed and considered non-responsive. All goods quoted by the Bidder must be associated with item code and names and with printed literature describing configuration and functionality. Any deviation from the printed specifications should be clearly mentioned in the offer document by the Bidder |
| vii. The OEM for each products or technology quoted should be in the business of that product or solution or technology for at least 3 (Three) years as on the date of release of the RFP |
| viii. All the OEMs should have authorized presence in India either directly or through channel partner(s) as on the date of release of RFP27 |
| ix. The OEM for all active components should give a declaration that products or technology quoted are neither end-of-sale nor end-of-life as on the date of installation and commissioning and are not end-of-support till the successful completion of O&M period of the project |
| x. The bidder's proposed OEM should not have been blacklisted by any State /Centro Government Department or Central /State PSUs as on bid submission date27 |
| xi. Adequate supporting documents pertaining to the above points, along with a summary compliance table, should be submitted in the proposal by the Bidder 27 |
| 24Process to Be Confidential27 |
| 25 Clarification of Bids27 |
| 26 Examination of Bids and Determination of Responsiveness28 |
| 27 Correction of Errors |

| 28 Evaluation and Comparison of Bids | 29 |
|----------------------------------------------------------------------------------------------|----|
| 29 Award Criteria | 29 |
| 30Employer's Right to accept any Bid and to reject any or all Bids | 30 |
| 31 Notification of Award and Signing of Agreement | 30 |
| 32Performance Security | 30 |
| 33Advance Payments and Security | 31 |
| 34Adjudicator | 31 |
| 35 Fraud and Corruption: | 31 |
| SECTION 2: | 33 |
| FORMS OF BID, QUALIFICATION INFORMATION | 33 |
| AND LETTER OF ACCEPTANCE | 33 |
| Contractor's Bid | 34 |
| Qualification Information | 35 |
| SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR AVAILABILITY OF CREDI * CLAUSE 4.5 [B] [c] OF ITB | |
| SECTION 3: CONDITIONS OF CONTRACT | 43 |
| Conditions of Contract | 44 |
| A. General | 44 |
| 1. Definitions | 44 |
| 2. Interpretation | 46 |
| 3. Language and Law | 47 |
| 4. Engineer's Decisions | 47 |
| 5. Delegation | 47 |
| 6. Communications | 47 |
| 7. Subcontracting | 47 |
| 8. Other Contractors | 47 |
| 9. Personnel | 47 |
| 10. Employer's and Contractor's Risks | 48 |
| 11. Employer's Risks | 48 |
| 12. Contractor's Risks | 48 |
| 13. Insurance | 48 |
| 14. Site Investigation Reports | 49 |
| 15. Queries about the Contract Data | 49 |
| 16. Contractor to Construct the Works | 50 |
| 17. The Works to Be Completed by the Intended Completion Date | 50 |
| 18. Approval by the Engineer | 50 |
| 19. Safety | 50 |
| 20. Discoveries | 50 |
| 21. Possession of the Site | 51 |

| 22. Access to the Site | 51 |
|-----------------------------------------------|----|
| 23. Instructions | 51 |
| B Time Control | 51 |
| 24. Program | 51 |
| 25. Extension of the Intended Completion Date | 52 |
| 26. Delays Ordered by the Engineer | 52 |
| 27. Management Meetings | 52 |
| 28. Early Warning | 52 |
| C Quality Control | 53 |
| 29. Identifying Defects | 53 |
| 30. Tests | 53 |
| 31. Correction of Defects | 53 |
| 32. Uncorrected Defects | 54 |
| 33. Bill of Quantities | 54 |
| D Cost Control | 54 |
| 34. Changes in the Quantities | 54 |
| 35. Variations | 54 |
| 36. Payments for Variations | 54 |
| 37. Cash flow forecasts | 55 |
| 38. Work Sequence: | 55 |
| Terms & Condition: | 56 |
| Operation & Maintenance of Five Years: | 58 |
| 39. Payments | 60 |
| 40. Compensation Events | 60 |
| 41. Tax | 62 |
| 42. Currencies | 62 |
| 43. Price Adjustment | 62 |
| 44. Retention | 62 |
| 45. Liquidated Damages | 63 |
| 46. Advance Payment | 63 |
| 47. Securities | 63 |
| 48. Cost of Repairs | 64 |
| E Finishing the Contract | 64 |
| 49. Completion | 64 |
| 50. Taking Over | 64 |
| 51. Final Account | 64 |
| 52. Operating and Maintenance Manuals | 64 |
| 53. Termination | 65 |
| 54. Payment upon Termination | 66 |

| 55. Property | 66 |
|-------------------------------------------------------------------------------------------------------------------|-----|
| 56. Release from Performance | 66 |
| 57. Fraud & Corruption | 67 |
| F Special Conditions of Contract | 68 |
| 1. LABOUR: | 68 |
| 2. COMPLIANCE WITH LABOUR REGULATIONS: | 68 |
| SALIENT FEATURES OF SOME MAJOR LABOUR LAWS APPLICABLE TO ESTABLIS ENGAGED IN BUILDING AND OTHER CONSTRUCTION WORK | |
| 3. SUB-CONTRACTING (GCC Clause 7) | 72 |
| 4. ARBITRATION | 73 |
| 5. PROTECTION OF ENVIRONMENT: | 74 |
| 6. LIQUIDATED DAMAGES: | 75 |
| 7. PRIORITY OF DOCUMENTS: | 75 |
| 8. Safety & Welfare Provisions for labour to be employed by the Contracto | r76 |
| SECTION 4: CONTRACT DATA | 84 |
| CONTRACT DATA | 85 |
| SECTION 5: SCOPE OF WORK, TECHNICAL SPECIFICATIONS & BOQ | 88 |
| SECTION 6: FORMS OF BID AND SECURITIES | 100 |
| Form of Bid | 101 |
| Forms of Securities | 102 |
| BID SECURITY (BANK GUARANTEE) | 103 |
| PERFORMANCE BANK GUARANTEF | 105 |

| SECTION 1: | : INSTRUCTION | IS TO BIDDER | S (ITB) | |
|------------|---------------|--------------|---------|--|
| | | | | |

A. General

1. Scope of Bid

The Chief Executive Officer, Kanpur Smart City Limited, Kanpur, (referred to as Employer in these documents) invites bids for the Construction, Installation & Commissioning Of Solid Waste Transfer Stations At Various Locations In The Kanpur City With Defect Liability Period Of 1 Year And Operation & Maintenance Of Five Years. (as defined in these documents and referred to as "the works") detailed in the table given in IFB. The bidders shall submit bids for all of the works detailed in the table given in IFB.

1.1 The successful bidder will be expected to complete the works in all respect by the intended completion date specified in the Contract data.

2. Source of Funds

2.1 The project is executed under Smart City Mission Fund.

3. Eligible Bidders

- 3.1 The bidder shall be an entity incorporated under the Indian Companies Act, 1956/2013 or shall be a firm with a valid registration certificate/Trade License/State PWD/CPWD/MES. A copy to this effect must be submitted.
- 3.2 The Bidder must have a valid Goods & Service Tax (GST) registration in India. The Consultant shall be required to submit a copy of its registration certificate along with the Proposal
- 3.3 The bidder must have an operational office in India.
- 3.4 Document of Income tax registration with PAN CARD is required.
- 3.5 Labour department registration or any other statutory registration required.
- 3.6 All bidders shall provide in Section 2, Forms of Bid and Qualification Information, a statement that the Bidder is not associated, nor has been associated in the past, directly or indirectly, with the Consultant or any other entity that has prepared the design, specifications, and other documents for the Project or being proposed as Project Manager for the Contract. A firm that has been engaged by the Employer to provide consulting services for the preparation or supervision of the works, and any of its affiliates, shall not be eligible to bid.
- 3.7 Government-owned enterprises in the Employer's country may only participate if they are legally and financially autonomous, operate under commercial law and are not a dependent agency of the Employer.
- 3.8 Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices issued by any Government Departments / PSU in accordance with sub-clause 35.1 of ITB.
- 3.9 Any bidder who is an Advocate and Registered with any State Bar Council Shall not be allowed to participate in the bidding. If it is established that the

contractor is registered with the state bar council, his bid shall be automatically cancelled.

4. Qualification of the Bidder

- 4.1 All bidders shall provide in Section 2, Forms of Bid and Qualification Information, a preliminary description of the proposed work method and schedule, including drawings and charts, as necessary.
- 4.2 In the event that Pre-qualification of potential bidders has been undertaken, only bids from prequalified bidders will be considered and only qualified bidders bid will be open. These qualified bidders should submit with their bids any information updating their original prequalification applications or, alternatively, confirm in their bids that the originally submitted prequalification information remains essentially correct as of date of bid submission. The update or confirmation should be provided in Section 2.

4.3 Deleted

4.4A Financial & Technical Requirements

Financial Eligibility:

Minimum Average Annual Turnover: Indian Rupees 50 Crores in the last three financial years 2016-17, 2017-18 and 2018-2019. A Certificate from the Chartered Accountant to this effect must be submitted.

Technical Eligibility:

The bidder shall over the past 5 years preceding the Proposal submission due date, demonstrate experience in minimum 02 Nos. of relevant assignments at Governmental levels (Central/State/Municipal/PSUs) having value of each not less than 400 lakh.

Relevant Assignment means:

- Solid Waste Station done by RCC and Steel Structure or Composite Structure.
- 2) Supply, Installation & Commissioning of Solid Waste equipment.
 - (A) Portable Compactor not less than 16 cum -: 10 Nos.
 - (B) Hook Loader on 25 GVW Truck Chassis -: 3 Nos

4.4B Physical Qualifications: Deleted

4.4 C Each bidder should further demonstrate:

4.4D Technical personnel, Qualifications and Experience:

A. Technical Personnel are:

| SI. No. | Designation of the person / Nos. | Qualification | Whether working in field or office | Experience of execution of similar works |
|------------|----------------------------------|----------------------------|---------------------------------------------|---------------------------------------------------|
| 1 | Project Manager (1 Nos) | B.E. Instrument/ECE/EEE | Field (fulltime) | 10 Years |
| 2 | Junior Engineer (2 Nos) | B.E. Civil | Field (fulltime) | 5 Years |
| 3 | Site Supervisor (2 Nos) | ITI or Diploma Civil | Field (fulltime) | 3 Years |

To qualify for a package of contracts made up of this contract for which bids are invited in the IFB, the bidder must demonstrate having experience and resources sufficient to meet the aggregate of the qualifying criteria for all the contracts in question.

4.5 Available Bid Capacity

Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity (combined bid capacity in case of consortium) is more than the total bid value. The available bid capacity will be calculated as under: (Not mandatory for works up to Rs 10 Lakhs)

Assessed Available Bid capacity = (A*N*2 - B)

Where

A = Maximum value of Instrument/Electronics/Information technology related works executed in any one year during the last five years (updated to 2018-19 price level) taking into account the completed as well as works in progress.

N = Number of years prescribed for completion of the works for which bids are invited.

B = Value, at 2018-19 price level, of existing commitments and on-going works to be completed during the period of completion of the works for which bids are invited.

Note:

- i) The statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works listed should be countersigned by the Engineer in charge, not below the rank of an Executive Engineer or equivalent.
- ii) Updating factors for updating work value of Solid Waste Transfer Station or similar Project executed during last five years:

| <u>Year before</u> | Multiplying Factor |
|--------------------|--------------------|
| One | 1.1 |
| Two | 1.21 |
| Three | 1.33 |
| Four | 1.46 |
| Five | 1.61 |

4.5.1 The Sole Bidder or the prime bidder (in case of consortium) must be registered under any State's/UT's Commercial Tax Act / GST or Central Tax Act which must be quoted in the bid. The bidder must have paid all applicable State's/UT's Commercial Tax Act / GST or Central Tax Act till year 2018-2019. Self-attested documentary proof is to be submitted. If not applicable submit affidavit in Rupees 100/- Non-judicial stamp paper. The bidder should have valid ESIC registration Certificate. A certified copy must be submitted. If not applicable submit affidavit in Rupees 100/- Non-judicial stamp paper.

The bidder should be registered with the Commissioner, Provident Fund and should submit copy of the registration along with the experienced in Civil Works Technical bid. In case the bidder has less than 20 persons in his employment, he shall submit an affidavit to this effect in lieu of such registration.

4.5.2 Bidder should possess **valid ISO** Certification for Quality in Supply / Erection / Construction & Management.

4.5.3 Deleted

4.6 Disqualification

Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have:

- made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements; and/or
- Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.; and/or
- participated in the previous bidding for the same work and had quoted unreasonably high bid prices and could not furnish rational justification to the employer.
- has not duly filled up the formats given in Qualification Information [1.3.1, 1.3.2, 1.4 A & B]

In case, the qualification information is not duly filled as per the prescribed formats, the bid shall be summarily rejected.

5. One Bid per Bidder

5.1 Each bidder shall submit only one bid for one contract. A bidder who

submits or participates in more than one Bid (other than as a subcontractor or in cases of alternatives that have been permitted or requested) will cause all the proposals with the Bidder's participation to be disqualified.

6. Cost of Bidding

6.1 The bidder shall bear all costs associated with the preparation and submission of his Bid and the Employer will in no case be responsible and liable for those costs.

7. Site visit

7.1 The Bidder, at the Bidder's own responsibility and risk is encouraged to visit and examine the Site of Works and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.

B. Bidding Documents

8. Content of Bidding Documents

- 8.1 The set of bidding documents comprises the documents listed in the table below and addenda issued in accordance with Clause 10:
 - 1. Invitation for Bids
 - 2. Bidding Documents comprising:
 - i. Section 1: Instructions to Bidders
 - ii. Section 2: Forms of Bid and Qualification Information
 - iii. Section 3: Conditions of Contract
 - iv. Section 4: Contract Data
 - v. Section 5: Technical Specifications
 - vi Section 6: Forms of Securities

8.2 Deleted

8.3 The bidder is expected to examine carefully all instructions, conditions of contract, contract data, forms, terms and specifications, bill of quantities, forms and drawings in the Bid Document. Failure to comply with the requirements of Bid Documents shall be at the bidder's own risk. Pursuant to clause 25 hereof, bids, which are not substantially responsive to the requirements of the Bid Documents, shall be rejected.

9. Clarification of Bidding Documents

9.1 A prospective bidder requiring any clarification of the bidding documents may notify the Employer in writing at the Employer's address indicated in the invitation to bid. The Employer will respond to any request for clarification which he received earlier than 15 days prior to the deadline for submission of bids. Copies of the Employer's response will be forwarded

- to all purchasers of the bidding documents, including a description of the enquiry but without identifying its source.
- 9.2 Pre-bid meeting: The purpose of the Pre-Bid Meeting will be to clarify and discuss issues with respect to the Project, the RFP document or any other related issues. The Bidder or his authorized representative is invited to attend a Pre-Bid Meeting, which shall take place at the venue specified in the Factsheet. It is preferable to attend the Pre-Bid Meeting. Subsequent to the date of the Pre-Bid Meeting, KSCL may not respond to questions or inquiries from any Bidder who has not attended the Pre-Bid Meeting. The Bidders designated representatives are invited to attend the Pre-Bid Meeting at their own cost, to be held on the date and time as specified in Factsheet.

10. Amendment of Bidding Documents

- 10.1 Before the deadline for submission of bids, the Employer may modify the bidding documents by issuing addenda.
- 10.2 Any addendum thus issued shall be part of the bidding documents and shall be communicated in writing to all the purchasers of the bidding documents. Prospective bidders shall acknowledge receipt of each addendum in writing to the Employer.
- 10.3 To give prospective bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer shall extend as necessary the deadline for submission of bids, in accordance with Sub-Clause 20.2 below.

C. Preparation of Bids

11. Language of the Bid

11.1 All documents relating to the bid shall be in the English language.

12. Documents comprising the Bid

12.1 The bid to be submitted by the bidder (refer Clause 8) shall be in two separate parts:

Part-I shall be named "Technical Bid" and shall comprise

- i. Bid security in the form (refer Clause 16) Specified in section 6 and non-refundable cost of bid document.
- ii. Technical Proposal Content (as per format given below).
- ii. Qualification Information and supporting documents as specified in Section 2.
- iii. Certificates, undertakings, affidavits as specified in Section 2.
- iv. Undertaking that the bid shall remain valid for the period specified in Clause 15.1

Part-II shall be named "Financial Bid" and shall be done through - ONLINE SUBMISSION ONLY.

Each part will be separately sealed and marked in accordance with the sealing and Marking Instructions in Clause 19.

The bidder shall prepare **two sets** of the bid, marking them **"Original"** and **"copy"** respectively.

12.2 Technical Proposal Content

- (i) The Technical Bid, besides the other requirements of the Tender, shall comprise of the following (not limited to):
 - a) Technical Bid Covering Letter
 - b) Compliance for Technical Evaluation criteria
 - c) General information about the Bidder
 - d) Technical Solution
 - e) Specifications of the Physical Components
 - f) Specifications of the IT Components
 - g) Unpriced Bill of Materials (BOM) mentioning the make and model as per format provided.
 - h) Manpower Details
- (ii) Technical Proposal shall not in, anyway contain the financial proposal. The Procuring entity shall reserve the right to cancel the proposal in such event.
- (iii) BEC will review the technical bids of the bidders for determining whether the technical proposals are substantially responsive to the conditions of the RfP at the initial stage. Bids that are not substantially responsive are liable to be rejected.
- (iv) Bidders' technical solutions proposed in the bid document will be evaluated as per the requirements and guidelines specified in the RFP and technical evaluation criteria as mentioned below in this section of the RFP.
- (v) Each Technical Proposal shall be assigned a technical score out of a maximum of 100 points.
- (vi) The Bidders are required to submit all required documentation in support of the evaluation criteria specified (e.g. Detailed Project citations and copy of work order, client contact information for verification, and all others components) as required for technical evaluation.
- (vii) Bidders bidding for this contract together with other contracts stated in the IFB to form a package will so indicate in the bid together with any discounts offered for the award of more than one contract.

13. Bid Prices

- 13.1 The contract shall be for the whole works as described in Sub-Clause 1.1 based on the price on the Form of Bid submitted by the Bidder.
- 13.2 The Bidder must quote his **Item Rate price**, which is given by E-Tender Portal through Online only
- 13.3 A Financial Bid without any mention of bid Item Rate in the Contractor's Bid Form shall be treated as **Non-Responsive** and shall not be considered for evaluation. If the price bid format is provided in a spread sheet file like BoQ_XXXX.xls, the Item rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Priced-bid/BOQ template shall not be modified/replaced by the bidder; else the bid submitted is liable to be rejected for the tender.
- 13.4 All duties, taxes, and other levies payable by the contractor under the contract, or for any other cause shall be included in the rates, prices and total Bid Price submitted by the Bidder.
- 13.5 The Item rates and prices quoted by the bidder are subject to adjustment during the performance of the Contract in accordance with the provisions of Clause 43 of the Conditions of Contract.
- 13.6 Abnormally low or high rates shall not be taken into consideration and shall be summarily rejected without assigning any reason thereof. Discounts offered after filling up the rates of the items shall not be taken into consideration and rates inserted against each item shall prevail.

14. Currencies of Bid and Payment

14.1 The unit rates and the prices shall be quoted by the bidder entirely in Indian Rupees.

15. Bid Validity

- 15.1 Bids shall remain valid for a period not less than **180 days** after the deadline date for bid submission specified in Clause 20. A bid valid for a shorter period **shall be rejected by the Employer as non-responsive.**
- 15.2 In exceptional circumstances, prior to expiry of the original time limit, the Employer may request that the bidders may extend the period of validity for a specified additional period. The request and the bidders' responses shall be made in writing or by cable. A bidder may refuse the request without forfeiting his bid security. A bidder agreeing to the request will not be required or permitted to modify his bid except as provided in 15.3 herein-after, but will be required to extend the validity of his bid security for a period of the extension, and incompliance with Clause 16 in all respects.
- 15.3 In the case of contracts in which the Contract Price is fixed (not subject

to price adjustment), in the event that the purchaser requests and the Bidder agrees to an extension of the validity period, the contract price, if the Bidder is selected for award shall be the bid price corrected as follows:

The price shall be increased by the factor 0.12% for each week or part of a week that has elapsed from the expiration of the initial bid validity to the date of issue of letter of acceptance to the successful Bidder.

15.4 Bid evaluation will be based on the bid prices without taking into consideration the above correction.

16. Bid Security

- 16.1 The Bidder shall furnish, as part of his Bid, a Bid security in the amount as shown in column 4 of the table of IFB for this particular work. This bid security shall be in favour of the Employer, and may be in one of the following forms:
- A bank guarantee issued by a nationalized / scheduled bank located in India; or
- TDR / FDR pledged in favour of the Employer, payable at Kanpur.
- 16.2 Bank guarantees / TDR / FDR issued as surety for the bid shall be valid for at least 45 days beyond the validity of bids.
- 16.3 Any bid not accompanied by an acceptable Bid Security and not secured as indicated in Sub-Clauses 16.1 and 16.2 above shall be rejected by the Employer as non-responsive.
- 16.4 The Bid Security of unsuccessful bidders will be returned smoothly after the agreement is entered with the successful bidder.
- 16.5 The Bid Security of the successful bidder will be discharged when the bidder has signed the Agreement and furnished the required Performance Security.
- 16.6 The Bid Security may be forfeited
 - a) if the Bidder withdraws the Bid after Bid opening during the period of Bid validity;
 - b) if the Bidder does not accept the correction of the Bid Price, pursuant to Clause 27; or
 - c) In the case of a successful Bidder, if the Bidder fails within the specified time limit to
 - d) Sign the Agreement; or (ii) Furnish the required Performance Security.

17. Alternative Proposals by Bidders

17.1 Bidders shall submit offers that comply with the requirements of the bidding documents, including the basic technical design as indicated in the drawing and specifications. **Alternative bid will not** be considered.

18. Format and Signing of Bid

- 18.1 The Bidder shall prepare one original and one copy of the documents comprising the bid as described below in Clause 12 of these *Instruction to Bidders*, bound with the volume containing the "Technical Bid" and clearly marked "ORIGINAL" and "COPY" as appropriate. In the event of discrepancy between them, the original shall prevail. *All documents to be submitted should be in proper format & done by at least spiral binding.*
- 18.2 The original and copy of the Bid shall be typed or written in indelible ink and shall be signed (in **Blue Ink** only) by a person or persons duly authorized to sign on behalf of the Bidder, pursuant to Sub-Clauses 4.3. All pages of the bid where entries or amendments have been made shall be initialed by the person or persons signing the bid. **Each and every signature** must be dated. Full Name of the bidder shall be mentioned at least in the Contractor's Bid Form.
- 18.3 The Bid shall contain no alterations or additions, except those to comply with instructions issued by the Employer, or as necessary to correct errors made by the bidder, in which case such corrections shall be initialed by the person or persons signing the bid.
- 18.4 The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.

D. Submission of Bids

19. Sealing and Marking of Bids

19.1 The Bidder shall seal the original and copy of the Bid in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY". These two envelopes (called as inner envelopes) shall then be put inside one outer envelope. Each set of the inner envelopes marked "ORIGINAL" and "COPY" shall contain within separate sealed envelopes marked as "Technical Bid" with additional markings as follows:

Original or Copy, as the case may be

Bid to be opened as per the schedule mentioned in factsheet

The contents of Technical and Financial Bid will be as specified in Clause 12. 19.2 The envelopes containing Technical Bids shall

- a) Be addressed to the Employer
- b) Bear the identifications as indicated in Appendix.
- 19.3 In addition to the identification required in Sub-Clause 19.1 and 19.2, each of the envelopes shall indicate the name and address of the bidder to enable the bid to be returned unopened in case if it is declared late, pursuant to Clause 21, or the Evaluation Committee declares the Bid as

- non-responsive pursuant to Clause 23.
- 19.4 If the outer envelope is not sealed and marked as above, the <u>Employer</u> will assume no responsibility for the misplacement or premature opening of the bid.

20. Deadline for Submission of the Bids

- 20.1 Bids must be received by the Employer at the address specified above no later than the date specified in the factsheet. In the event of the specified date for the submission of bids declared a holiday for the Employer, the Bids will be received up to the appointed time on the next working day.
- 20.2 The Employer may extend the deadline for submission of bids by issuing amendment in accordance with Clause 10, in which case all rights and obligations of the Employer and the bidders previously subject to the original deadline will then be subject to the new deadline.

21. Late Bids

21.1 Any Bid received by the Employer after the deadline prescribed in Clause 20 will be returned unopened to the bidder.

22. Modification and Withdrawal of Bids

- 22.1 Bidders may withdraw their bids by giving notice in writing before the deadline prescribed in Clause 20.
- 22.2 Each Bidder's withdrawal notice shall be prepared, sealed, marked, and delivered in accordance with Clause 18 & 19, with the outer and inner envelopes additionally marked "WITHDRAWAL", as appropriate.

22.3 Deleted

22.4 Withdrawal of a Bid between the deadline for submission of bids and the expiration of the original period of bid validity specified in Clause 15.1 above or as extended pursuant to Clause 15.2 may result in the forfeiture of the Bid security pursuant to Clause 16.

22.5 Deleted

E. Bid Opening and Evaluation

23. Bid Opening

23.1 The Employer will open all the Bids received (except those received late), in presence of the Bidders or their representatives who choose to attend at time, date and the place specified in IFB in the manner specified in Clause 20 and 23.3. In the event of specified date of Bid opening being declared a holiday on the date of receipt of the bids as specified the bids will be received and opened on the next working day at the same

time and venue.

- 23.2 Envelopes marked "WITHDRAWAL" shall be opened and read out first. Bids for which an acceptable notice of withdrawal has been submitted pursuant to Clause 22 shall not be opened.
- 23.3 Bid opening shall be carried out in two stages. Firstly, the envelopes containing "Technical Bid" shall be opened. The amount, form, and validity of the Bid security furnished with each bid will be announced. If the bid security furnished does not conform to the amount and validity period as specified in the Invitation for Bid (ref. Column 4 and paragraph 3), and has not been furnished in the form specified in Clause 16, the remaining technical bid and the sealed financial bid will be returned to the bidder.
 - "Financial Bids" of those bidders whose technical bids have been determined to be responsive and on evaluation fulfills the qualification criteria shall be opened on a subsequent date, which will be notified to such bidders.
- 23.4 The minutes of the Bid opening, including the information disclosed to those present in accordance with Clause 23.1, shall be prepared.

Evaluation Process

- 23.5 A Bid Evaluation Committee (BEC) shall evaluate the responses of the bidders. The decision of the BEC in the evaluation of responses to the tender document shall be final.
- 23.2 No correspondence shall be entertained outside the process of negotiation/discussion with the BEC.
- 23.3 The BEC may, at its sole discretion, ask for meetings with the Bidders to seek clarifications on their proposals and may visit bidder's site to validate the credentials/citations claimed by the bidder.
- 23.4 The BEC reserves the right to reject any or all proposals on the basis of any deviations.
- 23.5 Each of the responses shall be evaluated as per the criteria and requirements specified in this tender document. Inability to submit requisite supporting documents / documentary evidence, may lead to rejection.

Evaluation of Pre-Qualification Proposal

23.6 Procuring entity shall open "tender document fee and Earnest Money Deposit (EMD)". If the contents are as per requirements of the tender document and responsive to all the conditions set out in the RfP document then the bidder shall be deemed to have qualified the pre-qualification stage. Each of the Pre-Qualification condition mentioned in Section 4.5.3 of the tender document is mandatory. In case the bidder does not meet

- any condition, the bidder will be disqualified.
- 23.7 Response to the Pre-Qualification Requirements shall be evaluated in accordance with the requirements specified in this tender document and in the manner prescribed in Section 4.5.3 of the tender document.

Evaluation of Technical Proposal

The evaluation of the Technical Proposals will be carried out in the following manner:

- 23.8 Procuring entity will review the technical bids of the pre-qualified bidders only. Bids that are not substantially responsive are liable to be disqualified at procuring entity's discretion. Conditional Proposals shall be rejected outrightly.
- 23.9 Bidder's technical solutions proposed in the bid document will be evaluated as per the requirements and guidelines specified in the Annexures and technical evaluation criteria as mentioned in the tender document.
- 23.10 Bidders shall make the technical presentation and showcase proposed products/solutions to procuring entity as per the agenda mentioned in the tender document.
- 23.11 Each Technical Proposal shall be assigned a technical score out of a maximum of 100 points (Refer Section 23.18 of the tender document). In order to qualify for the consideration of financial proposal, the Bidder must get equal to or more than overall technical score of 70 (Seventy) points.
- 23.12 The bidders are required to submit all required documents in support of the evaluation criteria specified (e.g. detailed project citations and copy of work order/completion certificate, client contact information for verification, and all other components) as required for technical evaluation.
- 23.13 At any time during the bid evaluation process, BEC may, at its discretion seek written clarifications from the bidders.
- 23.14 Procuring entity reserves the right to undertake a reference check of the past experience stated by the bidder. Any feedback received during the reference check shall be taken into account during the technical evaluation process.
- 23.15 The Financial Proposals of bidders who do not qualify technically shall be kept unopened.
- 23.16 Procuring entity reserves the right to accept or reject any or all bids without giving any reasons thereof.

23.17 Procuring entity shall inform to the technically shortlisted Bidders about the date and venue of the opening of the financial proposals.

23.18 Technical Evaluation Criteria

| SI. No | Technical Details Required |
|--------|-----------------------------------------------------------------------------|
| 1 | List of the Government departments in which similar types of |
| | projects already completed or in progress. Performance |
| | certificate copies and order copies issued by the competent |
| 2 | authority should be submitted. |
| 2 | Similar nature of project: |
| | 1) Solid Waste Station done by RCC and Steel Structure or |
| | Composite Structure. 2) Supply, Installation & Commissioning of Solid Waste |
| | 2) Supply, Installation & Commissioning of Solid Waste equipment. |
| | equipment. |
| | (A) Portable Compactor not less than 16 Cum -: 10 Nos. |
| | (B) Hook Loader on 25 GVW Truck Chassis -: 3 Nos |
| 3 | Preference will be given to the firms having ISO: 9001-2008 and |
| | ISO 14001 Certification or similar certificate |
| 4 | Details of staff and their qualifications to be deputed for the |
| | project at least one Junior Engineer & Site Surveyor. |
| 5 | Details of machinery, equipment machinery etc. in |
| | possession/owned |
| 6 | Preference will be given to firms having JV/Consortium with |
| | OEMs/Authorized Dealer |

23.19 Eligible Goods and Services, and OEM Criteria

- i. The Bidder should be authorized by OEM (in respect of each product and its services) to quote against this tender.
- ii. MAF (Manufacturer's/ OEM Authorization Form) should be submitted by the lead Bidder, in case of a consortium.
- iii. The bidder shall bear all the statutory levies like customs, insurance, freight, etc. applicable on the goods during their shipment from respective manufacturing/shipment site of the OEM to the port of landing.
- iv. All charges including transportation charges that may be applicable till the goods are delivered at the respective site of installation shall also be borne by the bidder.
- v. The bidder should take a specific insurance policy from a Third party for the Project providing insurance coverage against loss of or damage to etc.
- vi. The Bidder shall quote only one specific make and model from only one specific OEM, for each of the goods. Providing more than one option

- shall not be allowed and considered non-responsive. All goods quoted by the Bidder must be associated with item code and names and with printed literature describing configuration and functionality. Any deviation from the printed specifications should be clearly mentioned in the offer document by the Bidder.
- vii. The OEM for each products or technology quoted should be in the business of that product or solution or technology for at least 3 (Three) years as on the date of release of the RFP.
- viii. All the OEMs should have authorized presence in India either directly or through channel partner(s) as on the date of release of RFP.
- ix. The OEM for all active components should give a declaration that products or technology quoted are neither end-of-sale nor end-of-life as on the date of installation and commissioning and are not end-of-support till the successful completion of O&M period of the project.
- x. The bidder's proposed OEM should not have been blacklisted by any State /Central Government Department or Central /State PSUs as on bid submission date.
- xi. Adequate supporting documents pertaining to the above points, along with a summary compliance table, should be submitted in the proposal by the Bidder.

24 Process to Be Confidential

24.1 Information relating to the examination, clarification, evaluation, and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process until the award to the successful Bidder has been announced. Any effort by a Bidder to influence the Employer's processing of Bids or award decisions may result in the rejection of his Bid.

25 Clarification of Bids

- 25.1 To assist in the examination, evaluation, and comparison of Bids, the Employer may, at his discretion, ask any Bidder for clarification of his Bid, including breakdowns of the unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the Bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the Bids in accordance with Clause 28.
- 25.2 Subject to sub-clause 25.1, no Bidder shall contact the Employer on any matter relating to its bid from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Employer, it should do so in writing.
- 25.3 Any effort by the Bidder to influence the Employer in the Employer's bid evaluation, bid comparison or contract award decisions may result in the rejection of the Bidders' bid.

26 Examination of Bids and Determination of Responsiveness

- 26.1 Prior to the detailed evaluation of Bids, the Employer will determine whether each Bid (a) meets the eligibility criteria defined in Clause 3; (b) has been properly signed; (c) is accompanied by the required securities and; (d) is substantially responsive to the requirements of the Bidding documents.
- 26.2 A substantially responsive Bid is one which conforms to all the terms, conditions, and specifications of the Bidding documents, without material deviation or reservation. A material deviation or reservation is one (a) which affects in any substantial way the scope, quality, or performance of the Works; (b) which limits in any substantial way, inconsistent with the Bidding documents, the Employer's rights or the Bidder's obligations under the Contract; or (c) whose rectification would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids.
- 26.3 If a Bid is not substantially responsive, it will be rejected by the Employer, and may not subsequently be made responsive by correction or withdrawal of the non-conforming deviation or reservation.

27 Correction of Errors

- 27.1 "Financial Bids", determined to be substantially responsive will be checked by the Employer as follows:
 - a) Where there is a discrepancy between the rates in figures and in words, the rate in words will govern; and
 - b) Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.
- 27.2 The amount stated in the "Financial Bid" will be corrected by the Employer in accordance with the above procedure and the bid amount adjusted with the concurrence of the Bidder in the following manner:
 - a) If the Bid prices increases as a result of this correction, the amount as stated in the bid will be the 'bid price' and the increase will be treated as rebate;
 - b) If the Bid price decreases as a result of this correction, the decreased amount as stated in the bid will be the 'bid price'.
- 27.3 Such adjusted bid price shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount the Bid will be rejected, and the Bid security may be forfeited in accordance with Sub-Clause 2.11.3).

28 Evaluation and Comparison of Bids

- 28.1 The Employer will evaluate and compare only the Bids determined to be substantially responsive in accordance with Clause 26.
- 28.2 In evaluating the Bids, the Employer will determine for each Bid the evaluated Bid Price by adjusting the Bid Price as follows:
 - a) Making an appropriate adjustments for any other acceptable variations, deviations; and
 - b) Basis for evaluation of financial bids will be the latest PWD Schedule of rates current in the state.
- 28.3 The Employer reserves the right to accept or reject any variation, deviation, or alternative offer. Variations, deviations, and alternative offers and other factors which are in excess of the requirements of the Bidding documents or otherwise result in unsolicited benefits for the Employer shall not be taken into account in Bid evaluation.
- 28.4 The estimated effect of the price adjustment conditions under Clause 47 of the Conditions of Contract, during the period of implementation of the Contract, will not be taken into account in Bid evaluation.
- 28.5 If the Bid of the successful Bidder is seriously unbalanced in relation to the Engineer's estimate of the cost of work to be performed under the contract, the Employer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, the Employer may require that the amount of the performance security set forth in Clause 32 be increased at the expense of the successful Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract. The amount of the increased performance security shall be decided at the sole discretion of the Employer, which shall be final, binding and conclusive on the bidder.

29 Award Criteria

Subject to Clause 30, the Employer will award the Contract to the Bidder whose Bid has been determined to be substantially responsive to the Bidding documents and who has offered the lowest evaluated Bid Price, provided that such Bidder has been determined to be (a) eligible in accordance with the provisions of Clause 3, and (b) qualified in accordance with the provisions of Clause 4.

2. If, pursuant to Clause 12.2 this contract is being let along with other contracts, the lowest evaluated Bid Price will be determined when evaluating this contract in conjunction with other contracts to be awarded concurrently, taking into account any discounts offered by the bidders for the award of more than one contract.

30 Employer's Right to accept any Bid and to reject any or all Bids

30.1 Notwithstanding Clause 31, the Employer reserves the right to accept or reject any Bid, and to cancel the Bidding process and reject all Bids, at any time prior to the award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Employer's action.

31 Notification of Award and Signing of Agreement

- 31.1 The Bidder whose Bid has been accepted will be notified of the award by the Employer prior to expiration of the Bid validity period by cable, telex or facsimile confirmed by registered letter. This letter (hereinafter and in the Conditions of Contract called the "Letter of Acceptance") will state the sum that the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").
- 31.2 The notification of award will constitute the formation of the Contract, subject only to the furnishing of a performance security in accordance with the provisions of Clause 32.
- 31.3 The Agreement will incorporate all agreements between the Employer and the successful Bidder. It will be kept ready for signature of the successful bidder in the office of employer within 7 days following the notification of award along with the Letter of Acceptance.
- 31.4 Upon the furnishing by the successful Bidder of the Performance Security, the Employer will promptly notify the other Bidders that their Bids have been unsuccessful.

32 Performance Security

- 32.1 Within 7 days of receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Employer a Performance Security in any of the forms given below for an amount equivalent to 10% of the Contract price plus additional security for unbalanced Bids in accordance with Clause 28.5 of ITB and Clause 47 of Conditions of Contract:
 - A bank guarantee in the form given in Section 7; or
 - TDR / FDR pledged in favour of the Employer payable at Kanpur.
- 32.2 The additional performance security for unbalanced Bids shall be 20% of

- the difference of cost of the unbalanced items rounding off to the nearest thousand.
- 32.3 If the performance security is provided by the successful Bidder in the form of a Bank Guarantee or fixed deposit Receipts, it shall be issued at the Bidder's option, by a Nationalized/Scheduled Indian bank located in India and acceptable to the Employer.
- 32.4 Failure of the successful bidder to comply with the requirements of subclause 32.1 shall constitute a breach of contract, cause for annulment of the award, forfeiture of the bid security and any such other remedy the Employer may take under the contract, and the Employer shall resort to awarding the contract to the next ranked bidder.

33 Advance Payments and Security

The mobilization advance can be maximum of 10% of the contract price, subject to a Bank Guarantee of 110% of the advance amount claimed.

34 Adjudicator

34.1 The Employer may propose to appoint Adjudicator under the Contract, at a daily retainer fee to be announced plus daily allowances and reimbursable expenses. The Bidder shall bear part or full expenses for the adjudicator in case of a dispute requiring the appointment of the adjudicator.

35 Fraud and Corruption:

- 35.1 It is the Employer's policy to require that bidders, suppliers, contractors and their agents (whether declared or not), sub-contractors, sub-consultants, service providers or suppliers, and any personnel thereof, observe the highest standard of ethics during the procurement and execution of contracts. In pursuance of this policy, the Employer:
 - (a) Defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "Corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - (ii) "Fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
 - (iii) "Collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;
 - (iv) "Coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of

- the party to influence improperly the actions of a party;
- (v) "Obstructive practice" is deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede an investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation,
- (vi) The Employer shall reject a proposal for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for the contract in question.
- (vii) The Employer shall sanction a firm or individual, at any time, by publicly declaring such firm or individual ineligible, either indefinitely or for a stated period of time: (i) to be awarded contract; and (ii) to be a nominated7 sub-contractor, consultant, supplier or services provider of an otherwise eligible firm being awarded contract;
- 35.2 Furthermore, Bidders shall be aware of the provision stated in subclause 28.2 and sub clause 57 of the Conditions of Contract.

SECTION 2:

FORMS OF BID, QUALIFICATION INFORMATION AND LETTER OF ACCEPTANCE

Table of Forms:

- CONTRACTOR'S BID
- QUALIFICATION INFORMATION
- LETTER OF ACCEPTANCE
- NOTICE TO PROCEED WITH THE WORK
- AGREEMENT FORM

Contractor's Bid

| Description of the Works: |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| То, |
| The Chief Executive Officer, Kanpur Smart City Limited, Kanpur. |
| Dear Sir, |
| Having examined the bidding documents including addendum, we offer to execute the Works described above in accordance with the Conditions o Contract, Specifications, and Drawings accompanying this Bid. |
| This Bid and your written acceptance of it shall constitute a binding contract between us. We understand that you are not bound to accept the lowest or any Bid you receive. |
| We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf will engage in bribery. |
| We also undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in India namely "Prevention of Corruption Act 1988". |
| We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Appendix to Conditions of Contract. |
| We agree to abide by this tender, and it shall remain binding upon us. |
| We hereby confirm that this Bid complies with the Eligibility, Bid Validity and Bid Security required by the Bidding documents. |
| We understand that you are not bound to accept the lowest or any tender you may receive. |
| Yours faithfully, |
| Authorized Signature: |
| Name & Title of Signatory: |
| Full Name of Bidder: (In Capitals only) |
| Address: |

Qualification Information

The information to be filled in by the Bidder in the following pages will be used for purposes of post qualification as provided for in Clause 4 of the Instructions to Bidders. This information will not be incorporated in the Contract.

| 1. Fo | r Individu | al Bidders |
|-------|------------|------------|
|-------|------------|------------|

| 1.1 Constitution or legal status of Bidder [Attach cop) | 1.1 | 1 Constitution or | legal status | of Bidder | [Attach cop | γ] |
|---------------------------------------------------------|-----|-------------------|--------------|-----------|-------------|----|
|---------------------------------------------------------|-----|-------------------|--------------|-----------|-------------|----|

Power of attorney of signatory of Bid [Attach]

| Place of registration: |
|------------------------------|
| Principal place of business: |
| |

1.2 Annual Turnover the last three financial years 2016-17, 2017-18 and 2018-2019. A Certificate from the Chartered Accountant to this effect must be submitted along with balance sheet.

| 2016- 2017 | |
|------------|--|
| 2017- 2018 | |
| 2018-2019 | |

1.3.1 Work performed as prime contractor (in the same name) on works of a similar nature over the last three years i.e. 2014-2015 to 2018-2019

| Name of Work | Name of Employer* | Description of Work | Confract No. | Value of Contract (Rs in Lakhs) | Date of Issue of Work Order | Stipulated period of Completion | Actual Date of Completion | Remark |
|--------------|----------------------|------------------------|--------------|---------------------------------------|--------------------------------|---------------------------------------|------------------------------|--------|
| | | | | | | | | |
| | | | | | | | | |

(Use separate sheet using landscape orientation)

- 1.3.2 Quantities of work executed as prime contractor (in the same name and style) in the last five years: **
- * Attach certificate(s) from the Engineer(s)-in-Charge
- @The item of work for which data is requested should tally with that specified in ITB clause 4.4A(c).
- ** Immediately preceding the financial year in which bids are received.
- **1.4** Information on Bid Capacity (works for which bids have been submitted and works which are yet to be completed) as on the date of this bid.
- (A) Existing commitments and on-going works:

| Name of Work | Place | Contract No & Date | Name & Address of Employer | Value of Contract (Rs in L) | Stipulated period of completion | Value of works remaining to be completed * (Rs in L) | Anticipated Date of completion |
|--------------------|-------|-----------------------|----------------------------------|-----------------------------------|---------------------------------|------------------------------------------------------|--------------------------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

^{*} Attach certificate(s) from the Engineer(s)-in-Charge.

(Use separate sheet in landscape orientation)

(B) Works for which bids already submitted:

| Name of work | Place | Name & Address of Employer | Estimated Value of Works (Rs in L) | Stipulated period of completion | Date when decision is expected | Remarks, if any |
|-----------------|-------|----------------------------------|------------------------------------|---------------------------------|--------------------------------|--------------------|
| | | | | | | |
| | | | _ | | | |
| | | | · | _ | · | |

(Use separate sheet in landscape orientation)

1.5 The following items of Contractor's Equipment are essential for carrying out the Works. The Bidder should list all the information requested below.

- **1.6** Evidence of access to financial resources to meet the qualification requirements: cash in hand, lines of credit, etc. List them below and attach copies of support documents [sample format attached].
- **1.7**. Name, address, and telephone, telex, and fax numbers of the Bidders' bankers who may provide references if contacted by the Employer.
- **1.8** Statement of compliance under the requirements of Sub Clause 3.2 of the instructions to Bidders.

1.9 Proposed work method and schedule. The Bidder should attach descriptions, drawings and charts as necessary to comply with the requirements of the Bidding documents. [Refer ITB Clause 4.1 and 4.3 (k)].

SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR AVAILABILITY OF CREDIT FACILITIES -* CLAUSE 4.5 [B] [c] OF ITB

BANK CERTIFICATE

| This is to certify that M/s is a reputed company with a good financial standing. |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If the contract for the work is awarded to the above firm, we shall be able to provide overdraft/credit facilities to the extent of Rs to meet their working capital requirements for executing the above contract. |
| Name of Bank |
| Senior Bank Manage |
| Address of the Bank |

LETTER OF ACCEPTANCE

(Letterhead of the Employer)

| To: | [date] |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| | |
| [name and address of the Contractor] | |
| Dear Sirs, | |
| This is to notify you that your Bid dated | for execution of |
| the | ied in accordance |
| You are hereby requested to furnish Performance Secur security for unbalanced bids in terms of ITB clause 28.5, in the Para 32.1 of ITB for an amount of Rs.———————————————————————————————————— | ne form detailed in ys of the receipt of of expiry of Defects |
| natea in Fara 32.4 of the will be taken. | Yours faithfully, |
| A | uthorized Signature |
| Name a | ınd Title of Signatory |
| | Name of Agency |

ISSUE OF NOTICE TO PROCEED WITH THE WORK

(Letterhead of the Employer)

| То | | | |
|-----------------------------------------------------------------|-----------------------|--------------------------------------------------------------|--------------|
| | - (name and address o | of the Contractor | ·) |
| Dear Sirs: | - | | |
| Pursuant to your furnishing the and signing of the contract Rs. | | | |
| _, you are hereby instructed accordance with the contro | | execution of the so | aid works in |
| | | Yours faithfu | Jlly, |
| | | | |
| | of s | gnature, name ar signatory authoriz In on behalf of Em | zed to |
| | Da | ay of | 2019, |

Agreement Form

| This agreement mac | le the | _ day of | 2019, betwee | en |
|------------------------|------------------|-------------------|-------------------------|----|
| [name and address | of Employer] (He | ereinafter called | d "the Employer)" of th | nе |
| one part and [nam | e and address | of Contractor] | (Hereinafter called "th | nе |
| Contractor") of the of | ther part. | | | |

Whereas the Employer is desirous that the Contractor execute the [name and identification number of Contract] (Hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a contract price of Rs......

NOW THIS AGREEMENT WITNESSETH as follows:

- 1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
- 2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
- 4. The following documents shall be deemed to form and be read and construed as part of this

Agreement, viz.:

- i) Letter of acceptance;
- ii) Notice to proceed with the works;
- iii) Contractor's Bid;
- iv) Contract Data;
- v) Conditions of contract (including Special Conditions of Contract);
- vi) Specifications;
- vii) Drawings; and
- viii) Any other document listed in the Contract Data as forming part of the contract. In witness whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

| The Common Seal of |
|--------------------------------------------------------------|
| |
| was hereunto affixed in the presence of: |
| |
| Signed, Sealed and Delivered by the said in the presence of: |
| |
| |
| Binding Signature of Employer |
| |
| |
| Binding Signature of Contractor |

SECTION 3: CONDITIONS OF CONTRACT

Conditions of Contract

A. General

1. Definitions

1.1 Terms which are defined in the Contract Data are not also defined in the Conditions of Contract but keep their defined meanings. Capital initials are used to identify defined terms.

Bill of Quantities means the priced and completed **Bill of Quantities** forming part of the Bid.

Compensation Events are those defined in Clause 44 hereunder.

The **Completion Date** is the date of completion of the Works as certified by the Engineer in accordance with Sub Clause 55.1.

The **Contract** is the contract between the Employer and the Contractor to execute, complete and maintain the Works. It consists of the documents listed in Clause 2.3 below.

The **Contract Data** defines the documents and other information which comprise the Contract.

The **Contractor** is a person or corporate body whose Bid to carry out the Works has been accepted by the Employer.

The **Contractor's Bid** is the completed Bidding document submitted by the Contractor to the Employer.

The **Contract Price** is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.

Days are calendar days; months are calendar months.

A **Defect** is any part of the Works not completed in accordance with the Contract.

The **Defects Liability Period** is the period named in the Contract Data and calculated from the Completion Date.

The **Employer** is the party who will employ the Contractor to carry out the Works.

The **KSCL Engineer** is the person named in the Contract Data (or any other competent person appointed and notified to the contractor to act in replacement of the Engineer) who is responsible for supervising the execution of the works and administering the Contract.

Equipment is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.

The **Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.

The Intended Completion Date is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the Contract Data. The Intended Completion Date may be revised only by the KSCL Engineer by issuing an extension of time.

Materials are all supplies, including consumables, used by the contractor for incorporation in the Works.

Plant is any integral part of the Works which is to have a mechanical, electrical, electronic or chemical or biological function.

The **Site** is the area defined as such in the Contract Data.

Site Investigation Reports are those which were included in the Bidding documents and are factual interpretative reports about the surface and sub-surface conditions at the site.

Specification means the Specification of the Works included in the Contract and any modification or addition made or approved by the KSCL Engineer.

The **Start Date** is given in the Contract Data. It is the date when the Contractor shall commence execution of the works. It does not necessarily coincide with any of the Site Possession Dates.

A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract which includes work on the Site.

Temporary Works are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

A **Variation** is an instruction given by the KSCL Engineer which varies the Works.

The **Works** are what the Contract requires the Contractor to construct, install, and turn over to the Employer, as defined in the Contract Data.

2. Interpretation

- 2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The KSCL Engineer will provide instructions clarifying queries about the Conditions of Contract.
- 2.2 If sectional completion is specified in the Contract Data, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion date for the whole of the Works).
- 2.3 The documents forming the Contract shall be interpreted in the following order of priority:
 - (1) Agreement
 - (2) Letter of Acceptance, notice to proceed with the works
 - (3) Contractor's Bid
 - (4) Contract Data
 - (5) Conditions of Contract including Special Conditions of Contract
 - (6) Specifications
 - (7) Drawings and
 - (8) Any other document listed in the Contract Data as forming part of the Contract.

3. Language and Law

3.1 The language of the Contract and the law governing the Contract are stated in the Contract Data.

4. Engineer's Decisions

4.1 Except where otherwise specifically stated, the KSCL Engineer will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

5. Delegation

5.1 The KSCL Engineer may delegate any of his duties and responsibilities to other people except to the Adjudicator after notifying the Contractor and may cancel any delegation after notifying the Contractor.

6. Communications

6.1 Communications between parties which are referred to in the conditions are effective only when in writing. A notice shall be effective only when it is delivered (in terms of Indian Contract Act).

7. Subcontracting

7.1 The Contractor may subcontract with the approval of the KSCL Engineer but may not assign the Contract without the approval of the Employer in writing. Subcontracting does not alter the Contractor's obligations.

8. Other Contractors

8.1 The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the dates given in the Schedule of Other Contractors. The Contractor shall as referred to in the Contract Data, also provide facilities and services for them as described in the Schedule. The employer may modify the schedule of other contractors and shall notify the contractor of any such modification.

9. Personnel

9.1 The Contractor shall employ the key personnel named in the Schedule of Key Personnel as referred to in the Contract Data to carry out the functions stated in the Schedule or other personnel approved by the KSCL Engineer. The KSCL Engineer will approve any proposed replacement of key personnel only if their qualifications, abilities, and relevant experience are substantially equal to or better than those of the personnel listed in the Schedule.

9.2 If the KSCL Engineer asks the Contractor to remove a person who is a member of the Contractor's staff or his work force stating the reasons the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.

10. Employer's and Contractor's Risks

10.1 The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

11. Employer's Risks

11.1 The Employer is responsible for the excepted risks which are (a) in so far as they directly affect the execution of the Works in the Employer's country, the risks of war, hostilities, invasion, act of foreign enemies, rebellion, revolution, insurrection or military or usurped power, civil war, riot commotion or disorder (unless restricted to the Contractor's employees), and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive, or (b) a cause due solely to the design of the Works, other than the Contractor's design.

12. Contractor's Risks

12.1 All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract other than the excepted risks are the responsibility of the Contractor.

13. Insurance

13.1 The Contractor at his cost shall provide, in the joint names of the Employer and the Contractor, insurance cover from the Start Date to the date of completion, in the amounts and deductibles stated in the Contract Data for the following events which are due to the Contractor's risks:

- a) loss of or damage to the Works, Plant and Materials;
- b) loss of or damage to Equipment;
- c) loss of or damage to property (except the Works, Plant, Materials, and Equipment) in connection with the Contract;
 and
- d) Personal injury or death.
- 13.2 Insurance policies and certificates for insurance shall be delivered by the Contractor to the Engineer for the Engineer's approval before the completion date/ Start Date. All such insurance shall provide for compensation to be payable in Indian Rupees to rectify the loss or damage incurred.
- 13.3 (a) The Contractor at his cost shall also provide, in the joint names of the Employer and the Contractor, insurance cover from the date of completion to the end of defect liability period, in the amounts and deductibles stated in the Contract Data for the following events which are due to the Contractor's risks: (a) Personal injury or death.
- 13.4 (b) Insurance policies and certificates for insurance shall be delivered by the Contractor to the Engineer for the Engineer's approval before the completion date/start date. All such insurance shall provide for compensation to be payable in Indian Rupees.
- 13.5 Alterations to the terms of insurance shall not be made without the approval of the Engineer.
- 13.6 Both parties shall comply with any conditions of the insurance policies.
- 13.7 The bidder shall have a suitable insurance to cover all the risks that are likely to occur from the scope of works and services indicated in this project. The insurance shall cover KSCL, KSCL's Project Management Consultant staff, Users etc. Risks may include but are not limited to a) accidents b) Mal function of equipment/or machines c) casualties d) Safety e) Theft etc.

14. Site Investigation Reports

14.1 The Contractor, in preparing the Bid, shall rely on any site Investigation Reports referred to in the Contract Data, supplemented by any information available to the Bidder.

15. Queries about the Contract Data

15.1 The KSCL Engineer will clarify queries on the Contract Data.

16. Contractor to Construct the Works

16.1 The Contractor shall construct and install the Works in accordance with the Specification and Drawings, and as per instructions of KSCL Engineer.

17. The Works to Be Completed by the Intended Completion Date

17.1 The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the program submitted by the Contractor, as updated with the approval of the KSCL Engineer, and complete them by the Intended Completion Date.

18. Approval by the Engineer

- 18.1 The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the KSCL Engineer, who is to approve them if they comply with the Specifications and Drawings.
- 18.2 The Contractor shall be responsible for design of Temporary Works.
- 18.3 The KSCL Engineer's approval shall not alter the Contractor's responsibility for design of the Temporary Works.
- 18.4 The Contractor shall obtain approval of third parties to the design of the Temporary Works where required.
- 18.5 All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the KSCL Engineer before their use.

19. Safety

19.1 The Contractor shall be responsible for the safety of all activities on the Site.

20. Discoveries

20.1 Anything of historical or other interest or of significant value unexpectedly discovered on the Site is the property of the Employer. The Contractor is to notify the KSCL Engineer of such discoveries and carry out the KSCL Engineer's instructions for dealing with them.

21. Possession of the Site

21.1 The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the Contract Data the Employer is deemed to have delayed the start of the relevant activities and this will be Compensation Event.

22. Access to the Site

22.1 The Contractor shall allow the KSCL Engineer and any person authorized by the KSCL Engineer access to the Site, to any place where work in connection with the Contract is being carried out or is intended to be carried out and to any place where materials or plant are being manufactured/fabricated/assembled for the works.

23. Instructions

23.1 The Contractor shall carry out all instructions of the KSCL Engineer which comply with the applicable laws where the Site is located.

B Time Control

24. Program

- 24.1 Within the time stated in the Contract Data the Contractor shall submit to the KSCL Engineer for approval a Program including Environmental Management Plan showing the general methods, arrangements, order, and timing for all the activities in the Works along with monthly cash flow forecast.
- 24.2 An update of the Program shall be a program showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work including any changes to the sequence of the activities.
- 24.3 The Contractor shall submit to the KSCL Engineer, for approval, an updated Program at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Program within this period, the KSCL Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program has been submitted.
- 24.4 The KSCL Engineer's approval of the Program shall not alter the Contractor's obligations. The Contractor may revise the Program and submit it to the KSCL Engineer again at any time. A revised Program is to show the effect of Variations and Compensation Events.

25. Extension of the Intended Completion Date

- 25.1 The KSCL Engineer in consultation with the Employer shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work and which would cause the Contractor to incur additional cost.
- 25.2 The KSCL Engineer in consultation with the Employer shall decide whether and by how much to extend the Intended Completion Date within 21 days of the Contractor asking the KSCL Engineer for a decision upon the effect of a Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

26. Delays Ordered by the Engineer

26.1 The KSCL Engineer may instruct the Contractor to delay the start or progress of any activity within the Works.

27. Management Meetings

- 27.1 Either the KSCL Engineer or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.
- 27.2 The KSCL Engineer shall record the business of management meetings and is to provide copies of his record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken is to be decided by the KSCL Engineer either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

28. Early Warning

28.1 The Contractor is to warn the Engineer at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price or delay the execution of works. The KSCL Engineer may require the Contractor to provide an estimate of the expected effect of the

future event or circumstance on the Contract Price and Completion Date. The estimate is to be provided by the Contractor as soon as reasonably possible.

28.2 The Contractor shall cooperate with the KSCL Engineer in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the KSCL Engineer.

C Quality Control

29. Identifying Defects

- 29.1 The KSCL Engineer shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The KSCL Engineer may instruct the Contractor to search for a Defect and to uncover and test any work that the KSCL Engineer considers may have a Defect.
- 29.2 The contractor shall permit the Employer's Technical auditor to check the contractor's work and notify the KSCL Engineer and Contractor of any defects that are found. Such a check shall not affect the Contractor's or the KSCL Engineer's responsibility as defined in the Contract Agreement.

30. Tests

30.1 If the KSCL Engineer instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect the test shall be a Compensation Event.

31. Correction of Defects

- 31.1 The KSCL Engineer shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion and is defined in the Contract Data. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
- 31.2 Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the KSCL Engineer's notice.

32. Uncorrected Defects

32.1 If the Contractor has not corrected a Defect within the time specified in the KSCL Engineer's notice, the KSCL Engineer will assess the cost of having the Defect corrected, and the Contractor will pay this amount.

Note: Where in certain cases, the technical specifications provide for acceptance of works within specified tolerance limits at reduced rates, KSCL Engineer will certify payments to Contractor accordingly.

33. Bill of Quantities

33.1 Attached in Section – 5 of this Document.

D Cost Control

34. Changes in the Quantities

- 34.1 If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent, provided the change exceeds 1% of Initial Contract Price, the KSCL Engineer in consultation with the Employer shall adjust the rate to allow for the change.
- 34.2 Unless the Contractor and the Employer along with KSCL Engineer agree to the contrary the total value of all Change of Scope orders shall not exceed 10 (ten) per cent of the Contract Price.
- 34.3 If requested by the KSCL Engineer, the Contractor shall provide the KSCL Engineer with a detailed cost breakdown of any rate in the Bill of Quantities.

35. Variations

35.1 All Variations shall be included in updated Programs produced by the Contractor.

36. Payments for Variations

- 36.1 The Contractor shall provide the KSCL Engineer with a quotation (with breakdown of unit rates) for carrying out the Variation when requested to do so by the KSCL Engineer. The KSCL Engineer shall assess the quotation, which shall be given within seven days of the request or within any longer period stated by the KSCL Engineer/Employer and before the Variation is ordered.
- 36.2 If the work in the Variation corresponds with an item description in the Bill of Quantities and if, in the opinion of the KSCL Engineer/Employer, the quantity of work above the limit stated in Sub Clause 38.1 or the timing of its execution do not cause the cost

- per unit of quantity to change, the rate in the bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in form of new rates for the relevant items of work.
- 36.3 If the Contractor's quotation is unreasonable (or if the contractor fails to provide the KSCL Engineer with a quotation within a reasonable time specified by the KSCL Engineer in accordance with Clause 40.1), the KSCL Engineer may order the Variation and make a change to the Contract Price which shall be based on KSCL Engineer's own forecast in consultation with the Employer of the effects of the Variation on the Contractor's costs.
- 36.4 If the KSCL Engineer decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.
- 36.5 The Contractor shall not be entitled to additional payment for costs that could have been avoided by giving early warning.

37. Cash flow forecasts

37.1 When the Program is updated, the contractor is to provide the KSCL Engineer with an updated cash flow forecast.

38. Work Sequence:-

| CIVIL WORKS | | | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--|
| 1. | Completion of basic RCC structure i.e. R.C.C. framework and peripheral brickwork from basement to top of the building | As per the Site Measurement | |
| 2. | Completion of Roof Steel structure including Supply of Solar Roof Panel | As per the Site Measurement | |
| 3. | Completion of finishing work i.e. flooring, plastering, internal brickwork, interior & exterior painting, doors, windows, exteriors, RCC or Paver Platform, Landscaping, Area lighting etc. | As per the Site Measurement | |
| ELECTRICAL WORKS | | | |
| 2.1 | Completion of electrical work i.e. connection as shows in drawing internal & External Area lighting etc. with respects in all as per the drawing | As per the Site Measurement | |

| MECHANICAL WORKS | | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| 4 | Supply & Installation of Stationary Compactors with DG Set and 25GVW Chassis | As per the Site Measurement |
| 5 | Commissioning of Stationary Compactors with Solar Panel (Trail Test) Stationary Compactors with DG Set and 25GVW Chassis (Trail Test) Stationary Compactors compatible with 25 GVW Chassis (Trail Test) | As per the Site Measurement |
| 6 | At the End of defect liability period (1 Year) | 10% Hold by each RA Bill |

Terms & Condition:

- 7.1 The payments as indicated above are for deliverable complete works and running payments will be made as per progress of the work.
- 7.2The Employer shall make an interest bearing (@bank Rate) Mobilization advance equal to 10 % of the contract value exclusive for mobilization expenses. The first instalment 5% shall be released 15 days after receiving and subject to receiving the Bank Guarantee of amount 110% of the requested amount and Second instalment shall be released after sufficient manpower, machineries & materials reached at site.
- 7.3The contractor shall at its sole expense and risk carry out procurement, installation, management and maintenance.
- 7.4All the levies such as GST, TDS, income Tax. Cess, and VAT etc. imposed by Government of India time to time will be deducted from running payments.
- 7.5This is Item Rate contract where time is of utmost importance. No claims of any sort with regard to escalation shall be admissible and therefore no payment what so ever in this regard shall be made
- 7.6The work sequence indicated above are for not payment purpose and may therefore not indicate all items that have to be executed as part of the works under this tender. The payments for all such items, even though not explicitly mentioned above, shall therefore be deemed to have been included in the schedule mentioned above and no separate or additional payments whatsoever shall be made.

7.7 Deleted

- 7.8The Engineer- In-Charge, KSCL may require the Bidder to extend the validity period of the Bank Guarantee(s) for such period which he considers it proper and the Bidder shall extend the validity period of such Bank Guarantee accordingly, if the Bidder fails to extend the period accordingly, the Engineer-In-Charge, KSCL may en-cash the B.G. before the expiry of the validity period.
- 7.9 The Bidder shall carryout all necessary rectifications of defects noticed, caused due to any reasons at his own cost within such reasonable period as mentioned in such communication notice from the Engineer-in-Charge, KSCL to him.
- 7.10 Failure of Bidder to rectify the defects properly in the given period shall be open for the Engineer-In-Charge, KSCL to get the defect(s) rectified either departmentally or through other agency (Without calling any tender / Quotation) and recover the actual cost plus 15 % (Fifteen per cent) of such cost from the Bidder from any sum, in any form available with the department.
- 7.11 If the Bidder or his work people shall break, deface, injure or destroy any part of building/park in which they may be working or any building road curbs, fences, enclosures, water pipes, cable\s, drains, electric or telephone posts or wires, trees, grassland cultivated ground continuous to the premises on which the work or any part of it is being executed or if any damage shall happen to the work while in progress from any cause whatever, or any imperfections become apparent in it within three months (Six month in the case of road works) after a certificate final or otherwise or its completion shall have been given by the Engineer-In-Charge as aforesaid the Bidder shall make good the same at his own expense or in default the Engineer-In-Charge may cause the same to be made good by other work men and deduct the expense of which certificate of the Engineer-In-Charge shall be final) from any sum that may be then or at any time thereafter, may become, due to the Bidder or from his security deposits, or the proceeds of sale thereof or of a sufficient portion thereof.
- 7.12 Running payment shall be made as per detailed schedule of work sequence payments. The detailed schedule shall as be prepared within the broad break up of schedule of running payment as indicate above.
- 7.13 Extra work and rebate: Extra /Rebate work arising out of this contract shall be valued at prevailing market rate. The rate for such items shall be worked out by the Bidder in consultation with the Engineer-in-charge and approved by the Chief Executive Officer/Chairman of KSCL. Such approval of rate[s] must invariably be obtained before taking-up of execution of such item[s] of work. This approved rate shall be final and binding on the Bidder.

- 7.14 No night work will be permitted without the written permission of the Engineer in charge of KSCL.
- 7.15 Items of work other than those mentioned in the Bill of Quantities (Tender Schedule) attached hereto will be carried out at the rates to be fixed by this organization as per relevant clauses of CPWD Works Manual.
- 7.16 Permission for erection of temporary work sheds etc., at site will have to be obtained from KSCL in writing in advance.
- 7.17 The works contract to be entered into with the successful tenderer will be governed by the CPWD works Manual or the latest in force.
- 7.18 The successful tenderer / Contractor shall observe all safety regulations and take necessary safety precaution as called for and Safety Precautions enclosed herewith.
- 7.19 Some changes are likely in the quantities furnished as well as in the layout, design and specifications of the work. The rate quoted shall be deemed to be inclusive of all such contingencies.
- 7.20 Engineer in charge / Civil or his duly authorized representative shall have all reasonable times access to Contractor's premises of work and shall have the power at all the reasonable times to inspect and test any portion of the work or examine the materials and workmanship of the structures during their manufacture and test. The contractor shall give due notice in writing to the Inspecting Engineer of KSCL when the materials supplied to be incorporated in the work are ready for Inspection and test. No material shall be incorporated in the work until the inspecting Engineer certified in writing that such materials have been inspected and approved by him or else the rejected material should be removed from site immediately.

Operation & Maintenance of Five Years:

- 7.21 Maintain assigned Transfer Station area, The Bidder shall be responsible for basic maintenance of the assigned facility
- 7.22 Upkeep of the infrastructure provided by the KSCL Authority to the Contractor including Transfer Station area, lights, Planter etc.
- 7.23 Responsible for maintenance of all the associated equipment of the premises.
- 7.24 At the end of the contract period when Transfer Station and all other associated facilities are handed over to the Authority should be handed

- over in the same operating condition as they were at the time of contract.
- 7.25 The Bidder shall clean the assigned premises regularly/all time in order to impart training in perfect hygienic condition.
- 7.26 The Bidder shall compensate the Authority for any damage or loss if found in such properties with the replacement value as decided by same In any case if he fails to pay the amount, the same will be recovered from his security deposit/Bank Guarantee.
- 7.27 Schedule of maintenance on weekly / Monthly / Quarterly Basis as per the Maintenance Manual.
- 7.28 Items cover for maintenance and parts/ spares for the replacements/ tear & wear/ greasing/Oiling/ Painting etc. during the Annual Maintenance.
- 7.29 Complaint Redress System for all transfer station including equipment & machineries in KSCL Transfer Station area and time required for redressal of complaints with Name of Person to be contracted and his contact Phone Numbers during the 06.00 AM to 09.00 PM hours for every day (including the Holidays and Sunday).
- 7.30 It is further undertaking that all the requisite parts / spares for replacement / tear & wear / greasing / oiling / painting etc. material will be available for carrying out aforesaid Annual Maintenance and Complaint Redressal
- 7.31 The successful bidder has to give the tentative list of spare parts required during the Maintenance period.
- 7.32 The Bidder shall pay the keep supervising day to day basis and reported to KSCL officer at Kanpur. The successful bidder shall be deployed adequate supervisor along with Spares during the Operation and Maintenance for all five year as per below cited minimum particulars shall be followed by bidder.
 - 1. Driver @ 1 Nos of Each Chassis
 - 2. Helper @ 1 Nos of Each Chassis
 - 3. Supervisor @ 1 Nos of "Two Station"
 - 4. Mechanic @ 1 Nos of "Three Station"
 - 5. Transfer Station Attendance @ 1 Nos of Each Station
 - 6. Transfer Station Helper Cleaner @ 2 Nos of Each Station
 - 7. Expenses for Consumables (fuel, lubricants i.e. Diesel etc.)
 - 8. Deleted
 - 9. Spare Parts for maintenance of equipment, average 2% of equipment cost

Payment Certificates

38.1 The Contractor shall submit to the KSCL Engineer monthly statements of the estimated value of the work completed less the cumulative amount certified previously along with details of measurement of the quantity of works executed in Measurement Books as approved by the KSCL Engineer.

38.2 Deleted

- 38.3 The value of work executed shall be determined by the KSCL Engineer after due check measurement of the quantities claimed as executed by the contractor.
- 38.4 The value of work executed shall comprise the value of the quantities of the items in the Bill of Quantities completed.
- 38.5 The value of work executed shall include the valuation of Variations and Compensation Events.
- 38.6 The KSCL Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

39. Payments

- 39.1 Payments shall be adjusted for deductions for advance payments, retention, other recoveries in terms of the contract and taxes, at source, as applicable under the law. The Employer shall pay the Contractor the amounts certified by the KSCL Engineer within 28 days of the date of each certificate.
- 39.2 Deleted
- 39.3 Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.

40. Compensation Events

- 40.1 The following are Compensation Events unless they are caused by the Contractor:
- (a) The Employer does not give access to a part of the Site by the Site Possession Date stated in the Contract Data.

- (b) The Employer modifies the schedule of other contractors in a way which affects the work of the contractor under the contract.
- (c) The KSCL Engineer orders a delay or does not issue drawings, specifications or instructions required for execution of works on time.
- (d) The KSCL Engineer instructs the Contractor to uncover or to carry out additional tests upon work which is then found to have no Defects.
- (e) The KSCL Engineer unreasonably does not approve for a subcontract to be let.
- (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of Letter of Acceptance from the information issued to Bidders (including the Site Investigation Reports), from information available publicly and from a visual inspection of the Site.
- (g) The KSCL Engineer gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
- (h) Other contractors, public authorities, utilities or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
- (i) The advance payment is delayed.
- (j) The effect on the Contractor of any of the Employer's Risks.
- (k) The KSCL Engineer unreasonably delays issuing a Certificate of Completion.
- (I) Other Compensation Events listed in the Contract Data or mentioned in the Contract.
- 40.2 If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Intended Completion Date shall be extended. The KSCL Engineer shall decide whether and by how much the Intended Completion Date shall be extended.

- 40.3 As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it is to be assessed by the KSCL Engineer and the Intended Completion Date shall be extended accordingly. If the Contractor's forecast is deemed unreasonable, the KSCL Engineer shall adjust the Intended Completion Date based on KSCL Engineer's own forecast. The KSCL Engineer will assume that the Contractor will react competently and promptly to the event.
- 40.4 The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning or not having cooperated with the KSCL Engineer.

41.Tax

41.1 The rates quoted by the Contractor shall be deemed to be inclusive of the sales and other taxes that the Contractor will have to pay for the performance of this Contract. The Employer will perform such duties in regard to the deduction of such taxes at source as per applicable law.

42. Currencies

42.1 All payments shall be made in Indian Rupees.

43. Price Adjustment

- 43.1 Contract price shall not be adjusted for increase or decrease in rates and price of labour, materials, fuels and lubricants during the tenure of the contract.
- 43.2 To the extent that full compensation for any rise or fall in costs to the contractor, the unit rates and prices included in the contract shall be deemed to include amounts to cover the contingency of such other rise or fall in costs.

44. Retention

- 44.1 The Employer shall retain from each monthly payment due to the Contractor the proportion stated in the Contract Data until Completion of the Whole of the Works.
- 44.2 On Completion of the whole of the Works half the total amount retained is repaid to the Contractor and half when the Defects Liability Period has passed and the KSCL Engineer has certified that all Defects notified by the KSCL Engineer to the Contractor before

the end of this period have been corrected.

44.3 On completion of the whole works, the contractor may substitute retention money (balance half) with an "on demand" Bank guarantee.

45. Liquidated Damages

- 45.1 The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the Contract Data for each day that the Completion Date is later than the Intended Completion Date (for the whole of the works or the milestone as stated in the contract data). The total amount of liquidated damages shall not exceed the amount defined in the Contract Data. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages does not affect the Contractor's liabilities.
- 45.2 If the Intended Completion Date is extended after liquidated damages have been paid, the KSCL Engineer shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the overpayment calculated from the date of payment to the date of repayment at the rates specified in Sub Clause 43.1.

46. Advance Payment

- 46.1 The Employer shall make an interest bearing (@ PLR rate) Mobilization advance equal to 10 % of the contract value exclusive for mobilization expenses. The first instalment 5% shall be released 15 days after receiving and subject to receiving the Bank Guarantee of amount 110% of the requested amount:
- . The second instalment would be released after submission of receipt certificate by the Contractor for the first 5% advance already paid earlier.

46.4 **Secured Advance**: Deleted.

47. Securities

47.1 The Performance Security shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety acceptable to the Employer, and denominated in Indian Rupees. The Performance Security shall be valid until a date 28 days from the

date of expiry of Defects Liability Period and the additional security for unbalanced bids shall be valid until a date 28 days from the date of issue of the certificate of completion. The performance security of a joint venture shall be in the name of the joint venture.

48. Cost of Repairs

48.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

E Finishing the Contract

49. Completion

49.1 The Contractor shall request the KSCL Engineer to issue a Certificate of Completion of the Works and the KSCL Engineer will do so upon deciding that the Work is completed.

50. Taking Over

50.1 The Employer shall take over the Site and the Works within seven days of the KSCL Engineer issuing a certificate of Completion.

51. Final Account

51.1 The Contractor shall supply to the KSCL Engineer a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. The KSCL Engineer shall issue a Defect Liability Certificate and certify any final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the KSCL Engineer shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the KSCL Engineer shall decide on the amount payable to the Contractor and issue a payment certificate, within 56 days of receiving the Contractor's revised account.

52. Operating and Maintenance Manuals

- 52.1 If "as built" Drawings and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the Contract Data.
- 52.2 If the Contractor does not supply the Drawings and/or manuals by the dates stated in the Contract Data, or they do not receive the KSCL Engineer's approval, the KSCL Engineer shall with hold the

amount stated in the Contract Data from payments due to the Contractor.

53. Termination

- 53.1 The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.
- 53.2 Fundamental breaches of Contract include, but shall not be limited to the following: (a) The Contractor stops work for 28 days when no stoppage of work is shown on the current program and the stoppage has not been authorized by the KSCL Engineer;
 - (b) The KSCL Engineer instructs the Contractor to delay the progress of the Works and the instruction is not withdrawn within 28 days;
 - (c) The Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
 - (d) A payment certified by the KSCL Engineer is not paid by the Employer to the Contractor within 56 days of the date of the KSCL Engineer's certificate;
 - (e) The KSCL Engineer gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the KSCL Engineer;
 - (f) The Contractor does not maintain a security which is required;
 - (g) The Contractor has delayed the completion of works by the number of days for which the maximum amount of liquidated damages can be paid as defined in the Contract data; and
 - (h) If the Contractor, in the judgment of the Purchaser has engaged in fraud and corruption, as defined in GCC Clause 57, in competing for or in executing the Contract.
- 53.3 When either party to the Contract gives notice of a breach of contract to the KSCL Engineer for a cause other than those listed under Sub Clause 53.2 above, the KSCL Engineer shall decide whether the breach is fundamental or not.
- 53.4 Notwithstanding the above, the Employer may terminate the Contract for convenience.

53.5 If the Contract is terminated the Contractor shall stop work immediately, make the Site safe and secure and leave the Site as soon as reasonably possible.

54. Payment upon Termination

- 54.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the KSCL Engineer shall issue a certificate for the value of the work done less advance payments received up to the date of the issue of the certificate, less other recoveries due in terms of the contract, less taxes due to be deducted at source as per applicable law and less the percentage to apply to the work not completed as indicated in the Contract Data. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor the difference shall be a debt payable to the Employer.
- 54.2 If the Contract is terminated at the Employer's convenience or because of a fundamental breach of Contract by the Employer, the KSCL Engineer shall issue a certificate for the value of the work done, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

55. Property

55.1 All materials on the Site, Plant, Equipment, Temporary Works and Works are deemed to be the property of the Employer, if the Contract is terminated because of a Contractor's default.

56. Release from Performance

56.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor the KSCL Engineer shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which commitment was made.

57. Fraud & Corruption

- 57.1 If the Employer determines that the Contractor has engaged in corrupt, fraudulent, collusive coercive or obstructive practices, in competing for or in executing the Contract, then the Employer may, after giving 14 days notice to the Contractor, terminate the Contractor's employment under the Contract and expel him from the Site, and the provisions of Clause 53 shall apply. Should any employee of the Contractor be determined to have engaged in corrupt, fraudulent, collusive, coercive, or obstructive practice during the execution of the works, then that employee shall be removed in accordance with Clause 9 (Personnel). For the purposes of this Sub-Clause:
 - (i) "Corrupt practice" is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party*;
 - (ii) "Fraudulent practice" is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation**;
 - (iii) "Collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party#;
 - (iv) "Coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party\$;
 - (v) "Obstructive practice" is
 - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation, or
 - (bb) acts intended to materially impede the exercise of KSCL's inspection rights.
 - * For the purpose of this sub-paragraph, "another party" refers to a public official acting in relation to the procurement process or contract execution. In this context, "public official" includes KSCL staff and employees of other organizations taking or reviewing

procurement decisions.

** For the purpose of this sub-paragraph, "party" refers to a public official; the terms "benefit" and "Obligation" relate to the procurement process or contract execution; and the "act or omission" is intended to influence the procurement process or contract execution.

For the purpose of this sub-paragraph, "parties" refers to participants in the procurement process (including public officials) attempting either themselves, or through another person or entity not participating in the procurement or selection process, to simulate competition or to establish bid prices at artificial, non-competitive levels, or are privy to each other's bid prices or other conditions.

\$ For the purpose of this sub-paragraph, "party" refers to a participant in the procurement process or contract execution.

F Special Conditions of Contract

1. LABOUR:

The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.

The Contractor shall, if required by the KSCL Engineer, deliver to the KSCL Engineer a return in detail, in such form and at such intervals as the KSCL Engineer may prescribe, showing the staff and the numbers of the several classes of labour from time to time employed by the Contractor on the Site and such other information as the KSCL Engineer may require.

2. COMPLIANCE WITH LABOUR REGULATIONS:

During continuance of the contract, the Contractor and his sub-contractors shall abide at all times by all existing labour enactments and rules made there under, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given below. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions

of any Act or rules made there under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules/regulations including amendments, if any, on the part of the Contractor, the KSCL Engineer/Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer/KSCL Engineer shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer.

The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

SALIENT FEATURES OF SOME MAJOR LABOUR LAWS APPLICABLE TO ESTABLISHMENTS ENGAGED IN BUILDING AND OTHER CONSTRUCTION WORK

- a) Workmen Compensation Act 1923: The Act provides for compensation in case of injury by accident arising out of and during the course of employment.
- b) Payment of Gratuity Act 1972: Gratuity is payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed 5 years' service or more or on death the rate of 15 days wages for every completed year of service. The Act is applicable to all establishments employing 10 or more employees.
- c) Employees P.F. and Miscellaneous Provision Act 1952 (since amended): The Act Provides for monthly contributions by the employer plus workers @ 10% or 8.33%. The benefits payable under the Act are:
- (i) Pension or family pension on retirement or death, as the case may be.
- (ii) Deposit linked insurance on the death in harness of the worker.
- (iii) Payment of P.F. accumulation on retirement/death etc.
- d) Maternity Benefit Act 1951: The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.
- e) Contract Labour (Regulation & Abolition) Act 1970: The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case the Contractor fails to

provide, the same are required to be provided, by the Principal Employer by Law. The Principal Employer is required to take Certificate of Registration and the Contractor is required to take license from the designated Officer. The Act is applicable to the establishments or Contractor of Principal Employer if they employ 20 or more contract labour.

- f) Minimum Wages Act 1948: The Employer is supposed to pay not less than the Minimum Wages fixed by appropriate Government as per provisions of the Act if the employment is a scheduled employment. Construction of Buildings, Roads, and Runways are scheduled employments.
- g) Payment of Wages Act 1936: It lies down as to by what date the wages are to be paid, when it will be paid and what deductions can be made from the wages of the workers.
- h) Equal Remuneration Act 1979: The Act provides for payment of equal wages for work of equal nature to Male and Female workers and for not making discrimination against Female employees in the matters of transfers, training and promotions etc.
- i) Payment of Bonus Act 1965: The Act is applicable to all establishments employing 20 or more employees. The Act provides for payments of annual bonus subject to a minimum of 8.33% of wages and maximum of 20% of wages to employees drawing Rs.3500/-per month or less. The bonus to be paid to employees getting Rs.2500/-per month or above up to Rs.3500/- per month shall be worked out by taking wages as Rs.2500/-per month only. The Act does not apply to certain establishments. The newly set-up establishments are exempted for five years in certain circumstances. Some of the State Governments have reduced the employment size from 20 to 10 for the purpose of applicability of this Act.
- j) Industrial Disputes Act 1947: The Act lays down the machinery and procedure for resolution of Industrial disputes, in what situations a strike or lock-out becomes illegal and what are the requirements for laying off or retrenching the employees or closing down the establishment.
- k) Industrial Employment (Standing Orders) Act 1946: It is applicable to all establishments employing 100 or more workmen (employment size reduced by some of the States and Central Government to 50).

- The Act provides for laying down rules governing the conditions of employment by the Employer on matters provided in the Act and gets the same certified by the designated Authority.
- Trade Unions Act 1926: The Act lays down the procedure for registration of trade unions of workmen and employers. The Trade Unions registered under the Act have been given certain immunities from civil and criminal liabilities.
- m) Child Labour (Prohibition & Regulation) Act 1986: The Act prohibits employment of children below 14 years of age in certain occupations and processes and provides for regulation of employment of children in all other occupations and processes. Employment of Child Labour is prohibited in Building and Construction Industry.
- n) Inter-State Migrant workmen's (Regulation of Employment & Conditions of Service) Act 1979: The Act is applicable to an establishment which employs 5 or more inter- state migrant workmen through an intermediary (who has recruited workmen in one state for employment in the establishment situated in another state). The Inter-State migrant workmen, in an establishment to which this Act becomes applicable, are required to be provided certain facilities such as housing, medical aid, travelling expenses from home up to the establishment and back, etc.
- o) The Building and Other Construction workers (Regulation of Employment and Conditions of Service) Act 1996 and the Cess Act of 1996: All the establishments who carry on any building or other construction work and employs 10 or more workers are covered under this Act. All such establishments are required to pay cess at the rate not exceeding 2% of the cost of construction as may be modified by the Government. The Employer of the establishment is required to provide safety measures at the Building or construction work and other welfare measures, such as Canteens, First-Aid facilities, Ambulance, Housina accommodations for workers near the work place etc. The Employer to whom the Act applies has to obtain a registration certificate from the Registering Officer appointed by the Government.
- p) Factories Act 1948: The Act lays down the procedure for approval at plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous

occurrences to designated authorities. It is applicable to premises employing 10 persons or more with aid of power or 20 or more persons without the aid of power engaged in manufacturing process.

3. SUB-CONTRACTING (GCC Clause 7)

Please add the following as Clause 7.2:

The contractor shall not be required to obtain any consent from the employer for:

- a) The sub-contracting of any part of the Works for which the Sub-contractor is named in the contract;
- b) The provision of labour; and
- c) The purchase of materials which are in accordance with the standards specified in the Contract.

Beyond this if the contractor proposes sub-contracting any part of the work during execution of works, because of some unforeseen circumstances to enable him to complete the work as per terms of the contract; the KSCL Engineer will consider the following before according approval:

- The contractor shall not sub-contract the whole of the Works. The limit for sub- contracting shall be 25% of the Contract price. Proposal for sub-contracting shall contain detailed experience, equipment and personnel for sub-contractor along with items and quantities to be sub contracted.
- The contractor shall not sub-contract any part of the Work without prior consent of the KSCL Engineer. Any such consent shall not relieve the contractor from any liability or obligations under the contract and he shall be responsible for the acts, defaults and neglects of any subcontractor, his agents or workmen as fully as if they were the acts, defaults or neglects of the contractor, his agents or workmen.
- The KSCL Engineer should satisfy whether (a) the circumstances warrant such sub- contracting; and (b) the sub-contractors so proposed for the Work possess the experience, qualifications and equipment necessary for the job proposed to be entrusted to them in proportion to the quantum of work to be subcontracted.

 If payments are proposed to be made directly to that subcontractor, this should be subject to specific authorization by the prime contractor so that this arrangement does not alter the contractor's liability or obligations under the contract.

Note:

- 1. All bidders are expected to indicate clearly in the bid, if they proposed sub-contracting elements of the works amounting to more than 20 percent of the Bid Price. For each such proposal the qualification and the experience of the identified sub-contractor in the relevant field should be furnished along with the bid to enable the employer to satisfy himself about their qualifications before agreeing for such subcontracting and include it in the contract. In view of the above, normally no additional sub-contracting should arise during execution of the contract.
- 2. However, [a] sub-contracting for certain specialized elements of the work is not unusual and acceptable for carrying out the works more effectively; but vertical splitting of the works for subcontracting is not acceptable. [b] In any case, proposal for subcontracting in addition to what was specified in bid and stated in contract agreement will not be acceptable if the value of such additional subcontracting exceeds 25% of value of work which was to be executed by Contractor without sub-contracting.
- 3. Assignment of the contract may be acceptable only under exceptional circumstances such as insolvencies/liquidation or merger of companies etc.

4. ARBITRATION

The procedure for arbitration will be as follows:

- a) In case of Dispute or difference arising between the Employer and a domestic contractor relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996.
- b) Arbitration proceedings shall be held at Kanpur, India, and the language of the arbitration proceedings and that of all documents and communications between the parties shall be English.
- c) The disputes or differences arising shall be referred to a Sole Arbitrator. The Sole Arbitrator should be appointed by agreement

between the parties; failing such agreement, by the appointing authority, namely the Indian Council of Arbitration.

d) Performance under the contract shall continue during the arbitration proceedings and payments due to the contractor by the owners shall not be withheld, unless they are the subject matter of the arbitration proceedings.

5. PROTECTION OF ENVIRONMENT:

Add the following as GCC Clause 16.2:

The contractor shall take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation. During continuance of the contract, the contractor and his sub-contractors shall abide at all times by all existing enactments on environmental protection and rules made there under, regulations, notifications and bye-laws of the State or Central Government, or local authorities and any other law, bye-law, regulations that may be passed or notification that may be issued in this respect in future by the State or Central Government or the local authority.

Salient features of some of the major laws that are applicable are given below:

The Water (Prevention and Control of Pollution) Act, 1974, this provides for the prevention and control of water pollution and the maintaining and restoring of wholesomeness of water.

Pollution' means such contamination of water or such alteration of the physical, chemical or biological properties of water or such discharge of any sewage or trade effluent or of any other liquid, gaseous or solid substance into water (whether directly or indirectly) as may, or is likely to, create a nuisance or render such water harmful or injurious to public health or safety, or to domestic, commercial, industrial, agricultural or other legitimate uses, or to the life and health of animals or plants or of aquatic organisms.

The Air (Prevention and Control of Pollution) Act, 1981, this provides for prevention, control and abatement of air pollution. 'Air Pollution' means the presence in the atmosphere of any 'air pollutant', which means any solid, liquid or gaseous substance (including noise) present in the

atmosphere in such concentration as may be or tend to be injurious to human beings or other living creatures or plants or property or environment.

The Environment (Protection) Act, 1986. This provides for the protection and improvement of environment and for matters connected therewith, and the prevention of hazards to human beings, other living creatures, plants and property. 'Environment' includes water, air and land and the interrelationship which exists among and between water, air and land, and human beings, other living creatures, plants, micro-organism and property.

The Public Liability Insurance Act, 1991, This provides for public liability insurance for the purpose of providing immediate relief to the persons affected by accident occurring while handling hazardous substances and for matters connected herewith or incidental thereto. Hazardous substance means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act 1986, and exceeding such quantity as may be specified by notification by the Central Government.

6. LIQUIDATED DAMAGES:

Sub-clause 45: Please substitute the last sentence with the following:

"Time is the essence of the contract and payment or deduction of liquidated damages shall not relieve the contractor from his obligation to complete the work as per agreed construction program and milestones or from any other of the contractor's obligations and liabilities under the contract."

7. PRIORITY OF DOCUMENTS:

Sub-clause 2.3: Please substitute sub paragraphs (a) to (j) with the followina:

- a. Agreement,
- b. the Letter of Acceptance,
- c. Contractor's Bid.
- d. the addenda (if any)
- e. Special Conditions of Contract
- f. Contact Data:
- g. General Conditions of Contract
- h. Specifications
- i. Part-II-Supplementary Technical Specifications including additional Technical Specifications.

- j. Part-I General Specifications
- k. Part-III- Environmental Management Plan
- I. Drawings
- m. Any other documents forming part of the Contract.

8. Safety & Welfare Provisions for labour to be employed by the Contractor

All necessary personal safety equipment as considered adequate by the KSCL Engineer shall be available for use of persons employed on the Site and maintained in a condition suitable for immediate use; and the Contractor shall take adequate steps to ensure proper use of such equipment by those concerned.

1. Safety Provisions:

The Contractor shall comply with all the precautions as required for the safety of the workmen.

- i. All workmen at site shall be provided with safety helmets and yellow/orange jackets. Workmen required on site during night hours shall be provided with fluorescent yellow jackets with reflective lopes.
- ii. Workers employed on mixing asphaltic materials, cement, lime mortars, concrete etc. shall be provided with protective footwear, protective goggles.
- iii. Those engaged in handling any material, which is injurious to the eyes, shall be provided with protective goggles protective goggles.
- iv. Those engaged in welding works shall be provided with welder's protective eye-shield.
- v. Stone breakers shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.
- vi. Suitable scaffolds shall be provided for workmen for all work that cannot safely be done from the ground, or from solid construction except for such short period work as can be done safely from ladders. When a ladder is used, an extra labourer shall be engaged for holding the ladder and if the ladder is used for carrying materials as well, suitable foot-holds and hand-holds shall be provided on the ladder, which shall be given an inclination not steeper than 1/4 to 1.
- vii. Scaffolding or staging more than 3.25 meters above the ground or floor, swung or suspended from an overhead support or erected with stationary support, shall have a guard rail properly attached, bolted, braced and otherwise secured at least 1 metre high above the floor or platform of such scaffolding or staging and extending along the entire length of the outside and ends thereof with only such openings as may be necessary for the delivery of materials. Such scaffolding or

- staging shall be so fastened as to prevent it from swaying from the support or structure.
- viii. Working platforms, gangways, and stairways shall be so constructed that they do not sag unduly or unequally, and if the height of any platform or gangway or stairway is more than 3.25 metres above ground level or floor level, it shall have closely spaced boards, have adequate width and be suitably provided with guard rails as described in (vii) above.
- ix. Every opening in the floor of a structure or in a working platform shall be provided with suitable means to prevent fall of persons or materials by providing suitable fencing or railing with a minimum height of one metre.
- x. Safe means of access and egress shall be provided to all working platforms and other working places. Every ladder shall be securely fixed. No portable single ladder shall be over 9 metres in length. The width between side rails in a rung ladder shall in no case be less than 30 cm for ladders up to and including 3metres in length. For longer ladders the width shall be increased at least 6 mm for each additional 30 cm of length. Spacing of steps shall be uniform and shall not exceed 30 cm.
- xi. Adequate precautions shall be taken to prevent danger from electrical equipment. No materials on any of the sites shall be so stacked or placed as to cause danger or inconvenience to any person or the public. The Contractor shall provide all necessary fencing and lights to protect the public from accidents and shall be bound to bear the expenses of defending every suit, action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay any damages and costs which may be awarded in any such suit, action or proceedings to any such person or which may with the consent of the Contractor be paid to compromise any claim by any such person.
- xii. Excavation and Trenching: All trenches, 1.5 metres or more in depth shall at all times be supplied with at least one ladder for each 20 metres in length or fraction thereof. Ladders shall be extended from the bottom of the trench to at least 1 metre above the surface of the ground. The sides of a trench, which is 1.5metres or more in depth shall be stepped back to provide a suitable slope, or be securely held by timber bracing so as to avoid the danger of side collapse. Excavated

- material shall not be placed within 1.5 metres of the edge of any trench or half the depth of the trench, whichever is more. Excavation shall be made from the top to the bottom. Under no circumstances shall undermining or undercutting be done.
- xiii. When workers are employed in sewers and manholes, which are in use, the Contractor shall ensure that manhole covers are open and manholes are ventilated at least for an hour before workers are allowed to go into them. Manholes so open shall be cordoned off with suitable railing and provide warning signals or boards to prevent accidents to the public.
- xiv. Demolition: Before any demolition work is commenced and also during the process of the work:
 - a) All roads and open areas adjacent to the work site shall either be closed or suitably protected.
 - b) No electric cable or apparatus, which is liable to be a source of danger other than a cable or apparatus used by operators, shall remain electrically charged:
 - c) All practical steps shall be taken to prevent danger to persons employed by the Employer, from risk of fire or explosion, or flooding. No floor, roof or other part of a building shall be so overloaded with debris or materials as to render it unsafe.
- xv. When work is performed near any place where there is risk of drowning all necessary equipment shall be provided and kept ready for use and all necessary steps taken for prompt first aid treatment of all injuries likely to be sustained during the course of the work.
- xvi. Use of hoisting machines and tackle including their attachments, anchorage and supports shall conform to the following:
 - (a) These shall be of good mechanical construction, sound material and adequate strength and free from patent defects and shall be kept in good working order be regularly inspected and properly maintained.
 - (b) Every rope used in hoisting or lowering materials or as a means of suspension shall be of durable quality and adequate strength, and free from defects.
 - (c) For every hoisting machine and every chain hook, shackle, swivel and pulley block used in hoisting, lowering or as means of suspension, safe working load shall be ascertained by adequate

means. Every hoisting machine and all gear referred to above shall be plainly marked with safe working load. In case of a hoisting machine or a variable safe working load, each safe working load and conditions under which it is applicable shall be clearly indicated. No part of any machine or any gear referred to in the paragraph above shall be loaded beyond safe working load except for the purpose of testing

- xvii. Motors, gearing, transmission, electric wiring and other dangerous parts of hoisting appliances shall be provided with efficient safeguards; hoisting appliances shall be provided with such means as will reduce the risk of accident during descent of load to the minimum. Adequate precautions shall be taken to reduce to the minimum risk of any part of a suspended load becoming accidentally displaced. When workers are employed on electrical installations which are already energised, insulating mats, working apparel such as gloves, sleeves and boots, as may be necessary, shall be provided. Workers shall not wear any rings, watches and carry keys or other material which are good conductors of electricity.
- xviii. All scaffolds, ladders and other safety devices mentioned or described herein shall be maintained in a safe condition and no scaffold, ladder or equipment shall be altered or removed while it is in use. Adequate washing facilities shall be provided at or near places of work.
- xix. These safety provisions shall be brought to the notice of all concerned by displaying on a notice board at a prominent place at the work location. Persons responsible for ensuring compliance with the Safety Code shall be named therein by the Contractor.
- xx. To ensure effective enforcement of the rules and regulations relating to safety precautions, arrangements made by the Contractor shall be open to inspection by the KSCL Engineer or his Representative.
- xxi. Notwithstanding anything contained in condition (i) to (xv) above, the Contractor shall remain liable to comply with the provisions of all acts, rules, regulations and bylaws for the time being in force in India and applicable in this matter. The Contractor shall be responsible for observance, by his sub-contractors, of the foregoing provisions.

2. Labour Welfare Provisions:

i. First Aid:

At every workplace, there shall be maintained in readily accessible place first aid appliances including an adequate supply of sterilised dressings and sterilised cotton wool as prescribed in the Factory Rules of the State in which the work is carried on. The appliances shall be kept in good order and, in large work places; they shall be placed under the charge of a responsible person who shall be readily available during working hours.

ii. Accommodation for Labour:

The Contractor shall during the progress of the work provide, erect and maintain necessary temporary living accommodation and ancillary facilities for labour at his own expense to standards and scales approved by the KSCL Engineer.

iii. Drinking Water:

In every workplace, there shall be provided and maintained at suitable places easily accessible to labour, a sufficient supply of cold water fit for drinking.

Where drinking water is obtained from an intermittent public water supply each workplace shall be provided with storage tanks where drinking water shall be stored.

Every water supply storage shall be at a distance of not less than 15 metres from any latrine, drain or other source of pollution. Where water has to be drawn from an existing well, which is within such proximity of any latrine, drain or any other source of pollution, the well shall be properly chlorinated before water is drawn from it for drinking. All such wells shall be entirely closed in and be provided with a trap door, which shall be dust proof and waterproof. A reliable pump shall be fitted to each covered well. The trap door shall be kept locked and opened only for cleaning or inspection, which shall be done at least once a month.

iv. Washing and Bathing Places:

Adequate washing and bathing places shall be provided separately for men and women. Such places shall be kept in clean and drained condition.

v. Scale of Accommodation in Latrines and Urinals:

There shall be provided within the precincts of every workplace, latrines and urinals in an accessible place, and the

accommodation, separately for each for these, shall not be less than at the following scale:

No. of Seats

- (a) Where number of persons does not exceed 50 2
- (b) Where number of persons exceed 50 but does not exceed 100 3
- (c) For additional persons per 100 or part thereof 3

In particular cases, the KSCL Engineer shall have the power to increase the requirement, wherever necessary.

vi. Latrines and Urinals:

Except in work places provided with water-flushed latrines connected with a water borne sewage system, all latrines shall be provided with dry-earth system (receptacles) which shall be cleaned at least four times daily and at least twice during working hours and kept in a strictly sanitary condition. Receptacles shall be tarred inside and outside at least once a year.

If women are employed, separate latrines and urinals, screened from those for men and marked in the vernacular in conspicuous letters "For women only", shall be provided. Those for men shall be similarly marked "For men only". A poster showing the figure of a man and a woman shall also be exhibited at the entrance to latrines for each sex. There shall be adequate supply of water, close to latrines and urinals.

vii. Construction of Latrines:

Inside walls shall be constructed of masonry or other non-absorbent material and shall be cement- washed inside and outside at least once a year. The dates of cement washing shall be noted in a register maintained for the purpose and kept available for inspection. Latrines shall have at least a thatched roof.

viii. Disposal of Excreta:

Unless otherwise arranged for by the local sanitary authority, arrangement for proper disposal of excreta by incineration at the workplace shall be made by means of a suitable incinerator approved by the local medical health and municipal or cantonment authorities. Alternatively, excreta may be disposed of by putting a layer of night soils at the bottom of a pucca tank prepared for the purpose and covering it with a layer of earth for a

fortnight (when it will turn into manure).

The Contractor shall, at his own expense, carry out all instructions issued to him by the KSCL Engineer to effect proper disposal of soil and other conservancy work in respect of Contractor's work-purpose or employees on the site. The Contractor shall be responsible for payment of any charges, which may be levied by municipal or cantonment authority for execution of such work on his behalf.

ix. Provisions of shelters during rest:

At every workplace, there shall be provided, free of cost, four suitable sheds, two for meals and two others for rest, separately for use of men and women labour. The height of each shelter shall not be less than 3metres from floor level to lowest part of roof. Sheds shall be kept clean and the space provided shall be on the basis of at least 0.5 sq.m. Per head.

x. Crèches:

At a place where women are ordinarily employed, there shall be provided at least one hut for use of children under the age of 6 years belonging to such women. Huts shall not be constructed to a standard lower than that of thatched roof, mud floor and wall with wooden planks spread over mud floor and covered with matting.

Huts shall be provided with suitable and sufficient openings, for light and ventilation. There shall be adequate provision of sweepers to keep the places clean. There shall be a maidservant in attendance.

Sanitary utensils shall be provided to the satisfaction of local medical, health a municipal or cantonment authorities. Use of huts shall be restricted to children, their attendants and mothers of children.

xi. Canteen:

A cooked food canteen on a moderate scale shall be provided for the benefit of workers wherever it is considered necessary.

xii. Planning, Setting and erection of above mentioned structures:

Planning, setting and erection of the above mentioned structures shall be approved by the KSCL Engineer or his Representative and the whole of such temporary accommodation shall at all times during the progress of the Works be kept tidy and in a clean and sanitary condition to the satisfaction of the KSCL Engineer or his

representative and at the Contractor's expense. The Contractor shall conform generally to sanitary requirements of local medical, health and municipal or cantonment authorities and at all times adopt such precautions as may be necessary to prevent soil pollution of the Site.

On completion of the Works, the whole of such temporary structures shall be cleared away, all rubbish burnt, excreta or other disposal pits or trenches filled in and effectively sealed off and the whole of the site left clean and tidy, at the Contractor's expense, to the entire satisfaction of the KSCL Engineer.

xiii. Anti-malarial precautions:

The Contractor shall, at his own expense, conform to all antimalarial instructions given to him by the KSCL Engineer, including filling up any borrow pits which may have been dug by him.

xiv. Awareness and Education of HIV/AIDS

The contractor shall provide/carryout HIV/AIDS awareness and training Program to its labour and management, at least twice per year during the construction period.

xv. Child Labour Prohibition

The contractor shall not employ Child Labour for any works or in any manner under the Contract at any time. In the event that the Contractor uses child labour, the Employer shall terminate the Contract.

xvi. Amendments:

The Employer may, from time to time, add to, or amend these Rules and issue such directions as it may be considered necessary for the proper implementation of these Rules or for the purpose of removing any difficulty, which may arise in the administration thereof.

SECTION 4: CONTRACT DATA

CONTRACT DATA

Items marked "N/A" do not apply in this Contract.

The following documents are also part of the Contract:

Clause Reference with respect to Section 3

The **Employer** is:

Name: Chief Executive Officer, Kanpur Smart City Limited [1.1]
Address: Nagar Nigam Mukhyalaya, Motijheel, Kanpur - 208002

The Site is located at **Kanpur** [1.1]

The **Engineer** is [1.1]

Name: Shall be named later

Address: Nagar Nigam Mukhyalaya, Motijheel, Kanpur - 208002

The Works consist of; Solid Waste Transfer Station, Other Items; and other items of works as may be required to be carried out for completing the works in accordance with the drawings and provisions of the Contract to ensure safety. (1.1)

The Start Date shall be the date of issue of notice to proceed with the work. [1.1]

The following documents also form part of the Contract: [2.3]

| Document | Description of the document |
|--------------------------|---------------------------------------------|
| Construction Methodology | Construction methodology in bid amended |
| | as per comments of employer given in letter |
| | of acceptance. |

The language of the Contract documents is English [3]

The law which applies to the Contract is the laws of Union of India and Govt. of Uttar Pradesh [3.1]

Schedule of other contractors Nil [8.1]

Site investigation reports- As indicated in the drawings [14]

The intended completion date for the whole of the works shall be **270 days** from the date of commencement.

The Site Possession Dates shall be within seven days from the date of issue of Notice to Proceed with Work: [21]

The Employer may require suggesting the contractor to submit revised program in accordance with an agreeable alternate schedule of handing over of site for which no compensation events hold good.

The amount to be withheld for late submission of an updated Program shall be Rs. 5,000.00 per day [24]

The Defects Liability Period is **365 days** from the date of certification of completion of works. (Where sectional completion certificate is issued this will apply from those dates for those sections). [1.1, 31]

The currency of the Contract is Indian Rupees. [42]

The proportion of payments retained (retention money) shall be 5% from each bill subject to a maximum of 5% of final contract price [44]

Amount of the liquidated damages per day for non-completion of the section/total work as per the completion date specified in 1.1 are as under: [45]

For: Milestone -II: Rs.50<u>00</u> per day

Work Sequence in Schedule is mentioned in Clause No. 38.

The maximum amount of liquidated damages for the whole of the works is ten percent of final contract price.

The mobilization advance can be maximum of 10% of the contract price, subject to a Bank Guarantee of 110% of the advance amount claimed. [33]

The Securities shall be for the following minimum amounts:

Performance Security for 10 per cent of contract price plus 20% of the unbalanced bid amount as additional security for unbalanced bids [in terms of ITB Clause 32].


The standard form of Performance Security acceptable to the Employer shall be an unconditional Bank Guarantee of the type as presented in Section 7 of the Bidding Documents or Call Deposit / Term Deposit in favor of the Employer, payable at Kanpur.


The following events shall also be fundamental breach of contract:


- 1. The Contractor has contravened Sub-clause 7 of GCC in reference to SCC and Clause 9.0 of GCC
- 2. The contractor does not adhere to the agreed construction program and agreed environmental management plan (Clause 24 of GCC) and also fails to take satisfactory remedial action as per agreements reached in the management meetings (Clause 27) for a period of 30 days.
- 3. The contractor fails to carry out of the instructions of KSCL Engineer within a reasonable time determined by the KSCL Engineer in accordance with GCC Clause 16.1 and 23.1.


The percentage to apply to the value of the work not completed representing the Employer's additional cost for completing the Works shall be **20** percent.

| SECTION 5: SCOPE OF WORK, TECHNICAL SPEC | CIFICATIONS & BOQ |
|------------------------------------------|-------------------|
| | |









Detailed Specification:

Civil Works (all the works shall be designed as per the relevant Indian Standard codes and approved by Independent Engineer)

Shed: The structure should be an RCC framed structure designed as per the relevant IS codes. The structure should have a Roofing system with suitable protective coating and support system of trusses and purlins design as per the relevant Indian Standard codes and attached design and drawings. The structure should be covered by brick masonry walls from all sides and have openings with ventilators and rolling shutters large enough for the movement of vehicles for the project.

Concrete flooring: The flooring should be impermeable and designed to withstand the load impacts from the vehicles used for collection and transportation of waste. The floor should further be able to withstand the load from the portable compactors.

Drainage system: The leachate generated from the compaction of waste should be collected from the drains and connected to the nearest ETP/STP.

Plant and Equipment (Transfer Station)

Portable Compactor (2 Compactors for each Transfer Station): The Portable Compactor should have the following technical specifications:

Total Volume : Min 16.0 m³
 Cycle Time : Around 45 sec
 Packing pressure : Min 200 bar
 Packing Thrust : Min 230 KN

• Electric Motor : Min 3.7 KW Single Phase

One hydraulically operated device to receive and unload the waste in to container.

All Hydraulic Cylinders and allied components and all hydraulic pumps must be from manufacturers of ISO 9001:2008 certified.

A compactor container body shall be 16 cum so that the same can be lifted by Hook Loader mounted on 25 MT chassis for transportation and unloading of compacted garbage at the dumping ground.

The compactor shall be of front loading type with a hydraulic operated device to receive waste from hand cart approx. 2 to 3 hand carts / 1 to 2 tricycle vans at a time and unload the same waste in to the container.

The container shall be provided with leachate collection tray for collection of leachate during compaction of garbage & there should be suitable drainage system.

The size of charge chamber of the compactor shall be minimum 2 cum.

The floor of charge chamber shall be approx. 8mm. thick wear resistance plate & shall be supported by longitudinal members' intermediate bracing. All side walls & top of the container must be strong enough for smooth service throughout its service life.

The compactor cycle shall be minimum 0.8 cum per cycle & shall be between 30 – 50 seconds.

The compactor force shall be approx. 230 – 240 K.N.

The compactor head shall be powered by Hydraulic power unit.

<u>Technical Specification of Portable Compactor 16 Cum</u>

A. General Description:

Portable Compactor is a compactor capable of being transported from one location to another and place-able at any place for the refuse collection, compaction & transferring. It will come as an integral unit incorporating the Container and the Compaction unit.

The Portable Compactor will be such that can be lifted by a specially designed Hook Loader, unit mounted on a Truck chassis for transportation and unloading of compacted garbage.

One hydraulically operated tipping device mounted on Compaction unit, to receive and unload the waste in to Compaction unit to compact it in to the Container – which is called Tip Cart.

Features of Portable Compactors:

The Portable Compactor shall be of front loading type with a hydraulic operated device to receive waste from hand cart / tricycle vans/ small tippers etc.

The Portable Compactor shall be provided with leachate collection tray for collection of leachate during compaction of garbage & shall be with suitable drainage system to unload nearby drain. Leachate will not drop on road during transportation due to leak proof sealing at rear door.

Compaction unit shall be powered by Hydraulic power unit, energy saving, low noise level, load sensing system.

Entire body shall be designed for an easy discharge of waste and ensure complete filling.

Container Body of the compactor shall be completely smooth, without any reinforcement ribs on the body surface, to reduce material stress and keep the strength of the body intact and avoid deformation due to weld joints.

Body bottom shall be flat enough to accommodate Body runner's (bottom long members) to support the Compactor Body on Hook Loader.

Dish end type back door assembly shall be top hinged with vertical travel to unlock the door.

Door assembly shall have 180 degree swivelling movement w.r.t. top hinge, and attached with bottom metallic rollers to avoid direct contact with garbage floor.

Automatic rear door locking arrangement shall be equipped with four cams located at four corners of the door to ensure zero leakage. All four cams shall be engaged with rear door by mechanical ratchet locking mechanism.

Compaction unit shall be incorporated with Special rear door rubber with double lid to ensure the sealing of the compactor and can be demountable

Automatic operated covering system, while loading of waste it opens up automatically and remain close when there is no loading.

Compactor body shall be manufactured out of high tensile steel with a minimum yield limit of 355N/mm2 or more.

Compactor body shall be provided with minimum two leachate drainage outlets with leak proof. Compaction of garbage shall achieve up to a density of minimum 750-850 Kg / cum.

Hydraulic Power Pack shall be accommodated within the compaction unit and same shall be mounted on rails to facilitate maintenance & repair as & when required, from outside of the machine.

Control panel of operating system shall be equipped with start key & lock, display screen, emergency stop, main switch, connecting socket and operating push buttons.

The Portable compactor shall operate only by a special key to protect the machine from unauthorized operation.

The Portable compactor shall be equipped with hydraulic drive unit, protected in a separate tunnel, to ensure the daily operations in even severe conditions.

All electrical circuits shall be enclosed in control box with start & stop buttons.

Control panel is located outside the operating area, safe for the operator.

Construction of entire compactor shall be robust and enough sturdy to maintain its structure throughout its service life.

Rear frame, front frame, rear door and structure of compaction unit shall be of high strength steel of yield stress of minimum 355 MPa.

Floor of charge chamber shall be minimum 6 mm thick and made of high strength steel of yield stress of minimum 700 MPa and shall be supported by longitudinal members and intermediate bracing.

The Crusher Block shall have a scissor shaped head to crush the refuse inside the container. Special teeth inside the container shall be provided to retain the refuse inside the container. The Crusher block is made out of high strength steel of yield stress of minimum 700 M Pa.

Container shall be of properly engineered shape to ensure good compaction ratio, light weight, Hi-strength longer life, and easier discharging of all refuse after compaction.

The work flow of the arrangement shall be such that - loading the waste in to Tip Cart by collection vehicle - loading the waste in to Compactor by Tip Cart - handling the full container with hook loader - transport the container to dump yard - discharging the waste.

B. SAFETY FEATURES:

All safety features would be included in the unit like start/stop buttons. The compaction would not start when the checking window/door is open. Indicating lights would be provided to indicate the status of the operation.

C. TECHNICAL PARAMETERS:

| Sl. No | Description | Spec |
|--------|-------------------------------------------------------|---------|
| 1 | Body Volume in Cum | 16 |
| 2 | Min. Compaction ratio based on Indian waste (Approx.) | 0.84 |
| 3 | Min. Pressure (Bar) | 200 |
| 4 | Power (KW) | 5.5 |
| 5 | Min. Compaction Force (KN) | 230-240 |
| 6 | Min. Cycle time for Crusher (Seconds) | 30-50 |
| 7 | Min. Cycle time for Tipping (Seconds) | 25 |
| 8 | Stroke Volume (cum) | 1.8 |
| 9 | Min. Tip Cart capacity | 1800 Kg |
| 10 | Compactor weight with Hydraulics(Kg) | 5100 |

Hook Loaders (1 Nos per site):

The vehicle should be truck chassis mounted, Rear Loading Hook Loader capable of lifting fully filled min 16.0 M³ capacity Portable compactor. The machine should have self-loading and unloading features. The main structure of the equipment to be of a robust construction specially designed for heavy duty applications.

The unit to have one pair of specially articulated strengthened steel boom arms linked through a tie-rod, that move about the hinged axis on the chassis, to load and unload the Portable compactor, filled with waste material.

The loading and unloading of the Portable compactor to be done by the reverse and forward movements of the hydraulic cylinders connected to Hook loader arms. There should be two emergency light on cabin. Stabilizers to be provided at suitable locations along the rear of the vehicle to ensure vehicle stability

during the loading & unloading cycle of operation.

All Hydraulic Cylinders, allied components and all hydraulic pumps must be from ISO 9001:2008 certified manufacturer. (Documents to be provided with offer). The details specification of Hydraulic Cylinders, Stabilizers are to be given justifying that those are capable to lift/load/unload the fully loaded 16.0 m³ portable compactor.

Controls/operating levers to be provided at a convenient location, for easy operations.

The chains and hooks provided to lift the Portable compactor must be specifically strengthened to lift such heavy loads.

The Chassis to be supplied by the supplier with a factory fitted split shaft PTO and Two no Hydraulic Jack.

The following minimum technical specifications of the vehicle must be provided: Manufacturer & Model: Reputed manufacturer with standard design make EURO IV (BSIV) compliant chassis as per Govt. notification GVW (Gross Vehicle Weight): Min 25 MT with ISO 9001 Certification with GPS facilities

General Specification:

Hook Loaders to be fabricated in accordance to the CE machine regulations and ensures the safety of its operator and its environment.



Hook Loader

Bottom Frame

The bottom frame comprises two longitudinal main runners and cross reinforcement. To the rear of the system the pivot point of the tipping frame is attached. The pivot point is situated as low as possible into the bottom frame. Hence to augment the tipping capacity.

The bottom frame has several container rollers divided over the full length, which supports the container's lower main frame. As well at the front of the bottom frame high tensile steel slide supports are placed to support the container over a big surface.

At the front of the frame the container bridge construction is located, providing a strong and solid attachment for the main container. The tipping frame automatically locks onto the bottom frame during the unloading procedure.

Tipping Frame:

The tipping frame enables the system to tip the containers. The tipping frame rotates at the rear of the system's bottom frame and has its high tensile anti-wear rollers on which the container is supported. At the tipping frame a steel locking device is constructed in order to lock to the main off-loading frame. These two components are locked together for tipping the container.

Off – loading frame:

The off-loading frame has the hook mast, which slides front and backwards. The off-loading frame enables the system to roll off the container. The off-loading frame rotates in the middle of the main frame at the front of the tipping frame. During the operation the hook masts moves backwards and unlocks the off-

loading frame from the tipping frame. After this the two double acting main containers will rotate the off-loading frame and enables the system to roll-off the container.

Hook Mast

The hook mast can move front and backwards inside the off-loading frame. By this the system is able to transport different various length of container. The hook mast will also unlock the off-loading frame from the tipping frame, which enables the system to roll – off the container. Further the system has synthetic bearing to have the maintenance free bearing of the sliding.

The high tensile wear resistance steel hook mounted into the hook mast is been placed at a height of less 1600 mm. a special designed lock ensures that the hook eye of the container will be secured during tipping, on and off rolling and thus cannot be dropped out.



Hook with container safety lock

Recommended Brands for Compactors: Compactor manufacturers should have an ISO 9001 & 14001 Certification.

DG SET (1 Nos per site):

1 No. Diesel Engine Generator set of 40 KVA, 3 phase with an acoustic enclosure conforming to the CPCB Standards.

Form of Contract Agreement

(To be signed by the Owner and the Successful Bidder within the period specified in the Bidding Documents after the issue of Notification of Award)

(To be stamped in accordance with the Stamp Act, of the State)

| THIS AGREEMENT made this day of month of the year between Kanpur Smart City Limited , a company incorporated under the Companies Act, 1956/2013, having its office at 3 rd Floor, "Kanpur Nagar Nigam", Motijheel, Kanpur – 208002 (Uttar Pradesh) (hereinafter referred to as "Owner', which expression shall, unless repugnant to the context or meaning thereof, include its successors, administrators and assigns) of the ONE PART and M/s, having its office at (hereinafter referred to as the "Contractor", which expression shall, unless repugnant to the context or meaning thereof, include its successors, administrators and assigns) of the OTHER PART. |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WHEREAS the Owner, desirous of associating with the Contractor for Construction, Installation & Commissioning of Solid Waste Transfer Stations at various locations in the Kanpur City with Defect Liability Period of 1 Year and Operation & Maintenance of Five Year (the " Project ") EPC Basis (the Project) on the terms and conditions contained in the Bidding Documents and amendments of the clarifications in respect there of issued by the Owner in response to Invitation for Bid (IFB) dated |
| AND WHEREAS the Contractor had submitted its Bid for the said Project under its Covering Letter No datedand the clarifications/confirmations given under cover of its subsequent letters bearing numbers,,and dated, and respectively (all put together are hereinafter referred to as the "Bid"). |
| AND WHEREAS the Owner has accepted the Bid, as conveyed to the Contractor vide Notification of Award No dated (hereinafter referred to as the "Notification of Award"), on the terms and conditions brought out in the said Notification of Award and the Documents referred to therein, resulting into a Contract. |
| AND WHEREAS the Contractor has accepted the Notification of Award, as conveyed to the Owner vide Letter No dated (hereinafter referred to as the "Letter of Acceptance"), resulting into this Contract. |
| NOW THEREFORE THIS AGREEMENT WITNESSETH AS UNDER: |
| Article -1.0 - Definition In this Agreement the words and expressions shall have the same meaning as are respectively assigned to them in the Contract Documents specified hereunder attached herewith which form an integral part of this Contract Agreement. This Agreement together with all the Documents attached therewith is referred to as the Contract for all intent and purposes of the aforesaid Project. Article - 2.0 - Date of commencement of Contract This Contract has come into force with effect from i.e. from the date of the Notification of |
| Award. |

Article - 3.0 - Contract Documents

The Contract shall be performed strictly as per the terms and conditions stipulated herein and in the following documents attached hereto (hereinafter referred to as Contract Documents:

- (i) Notification of Award till the execution of Contract Agreement between the Owner and the Contractor
- (ii) The Contract Agreement between the Owner and the Contractor and the attachments thereto. (This Contract Agreement)
- (iii) Minutes of negotiations if any signed between the Owner and Successful Bidder prior to signing of the Contract Agreement
- (iv) General Conditions of Contract
- (v) Technical Specifications
- (vi) Instructions to Bidders
- (vii) Designs and Drawings
- (viii) Bid submitted by the Successful Bidder.

The above Contract Documents shall form an integral part of this Agreement. If there is an ambiguity or discrepancy or conflict within the Contract Documents, the priority of the Documents shall be in the order in which the Contract Documents are listed above. All Documents forming part of the Contract Documents are intended to be correlative, complementary and mutually explanatory. The Contract shall be read as a whole.

Subject to the provisions relating to Arbitration specified in General Conditions of Contract of the Contract Document, in case of any conflict amongst Contract Documents, the decision of the Owner shall be final & binding on the Contractor

Article - 4.0 - Scope of Work

The detailed scope of work of the Contractor, under the Contract, has been brought out in the RFP Document. However, the above scope of work of the Contractor shall also include such items of work as may not have been specifically brought out in the said Contract Documents but as may be necessary for the safe and successful completion of the various items of work, envisaged, as per good engineering practice and recognized principles.

Article - 5.0 - Contract Price

The total Contract Price under the Contract shall be Rs.______ (Rupees_______ only) inclusive of all the taxes, duties, levies, fees etc. as specified in General Conditions of Contract and the Price Bid Schedules forming part of this Contract. The price shall remain fixed and firm and shall not change on any account whatsoever, for the duration of the Contract. All the matters relating to the payments to the Contractor shall be as per the Terms and Conditions and subject to the requirements as specified in the said General Conditions of Contract.

Article - 6.0 - Contract Schedule

Time is the essence of Contract and shall be strictly adhered to. The Contractor shall so organize its resources and perform its work as to complete it within a period of _____months from the date of Notification of Award and as per the Projects Completion Schedule forming part of the Bid submitted by the Contractor subject to further modifications/ changes as may be mutually agreed to between the Owner and the Contractor.

Article – 7.0 – Owner's Engineer Functions

The Owner's Engineer in relation to the Contractor shall have such functions as are delegated to it by the Owner from time to time and intimated to the Contractor. The Contractor shall carry out the instructions issued by the Owner's Engineer as if they were the instructions issued by the Owner. If there is any difference between the Contractor and Owner's Engineer, on any matter about the implementation of this Contract/Project, the matter shall be referred to the Owner whose decision shall be final and binding on the Contractor and the Owner's Engineer.

| sets will be authentic. IN WITNESS WHEREOF the Parties through to presents on the day, month and year first about the presents on the day, month and year first about the presents of the day. | their duly authorized representatives have executed the ove mentioned, at place. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| (Kanpur Smart City Limited) | (CONTRACTOR) |
| (Printed Name) | (Printed Name) |
| (Company's Seal) | (Company's Seal) |

This Contract is executed in English Language in two originals, each Party receiving one set and both the

SECTION 6: FORMS OF BID AND SECURITIES

Form of Bid

| Notes on Form of Bid: The Bidder shall fill in and submit this Bid form with the Bid. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (Date) |
| To all the street of the stree |
| The Chief Executive Officer , KSCL, Kanpur. |
| Description of the work: |
| (a) I/We offer to execute the works described above and remedy any defects there in conformity with the conditions of contract, specifications, drawings, bill of quantities and addenda for |
| (b) For Item rate as quoted online in BOQ at par with the rate entered in the Schedule of rate, as referred to in clause 13 of ITB. |
| We undertake to commence the works on receiving the notice to proceed with work in accordance with the contract documents. |
| This Bid your written acceptance of if shall constitute a binding contract between us. We understand that you are bound to accept the lowest or any Bid you receive. |
| We hereby confirm that this bid complies with the Bid validity and earnest money required by the bidding documents and specified in the Appendix to ITB. |
| Authorized Signature: |
| Name and title of Signatory: |
| Name of bidder: |
| Authorized Address |
| of Communication: |
| |
| Telephone No(s): (Office): |
| Mobile No: |
| Facsimile (FAX) No: |
| Electronic Mail Identification (E-mail ID):- |
| |

Forms of Securities

Acceptable forms of securities are annexed. Bidders should not

complete the Performance and Advance Payment Security forms at this time.

Only the successful Bidder will be required to provide Performance and

Advance Payment Securities in accordance with one of the forms, or in a

similar form acceptable to the Employer.

Annex I: Bid Security (Bank Guarantee)

Annex II: Performance Bank Guarantee

BID SECURITY (BANK GUARANTEE)

| WHEREAS, [name of Bidder] (hereinaffer co | alled "the Bidder") |
|----------------------------------------------|------------------------------------------|
| has submitted his Bid dated | [date] for the |
| | |
| " | |
| Package No | (Hereinafter called "the Bid"). |
| KNOW ALL PEOPLE by these presents that | We |
| [name of bank] of[na | me of country] having our registered |
| office at(Hereinaf | ter called "the Bank") are bound unto |
| Chief Executive Officer, Kanpur Smart City | Limited, Motijheel, Kanpur – 208002, |
| Uttar Pradesh (hereinafter called | "the Employer") in the sum |
| of | for which payment well and truly |
| to be made to the said Employer the Bank | binds itself, his successors and assigns |
| by these presents. | |
| SEALED with the Common Seal of the said I | Bank this day of. THE CONDITIONS |
| of this obligation are: | |
| 1) If after Bid opening the Bidder withdraw | rs his bid during the period of Bid |
| validity specified in the Form of Bid; or | |
| 2) If the Bidder having been notified of the | acceptance of his bid by the |
| Employer during the period of Bid validity | y: |
| (a) Fails or refuses to execute the Form o | f Agreement in accordance with the |
| Instructions to Bidders, if required; or | |
| (b) Fails or refuses to furnish the Perf | formance Security, in accordance |
| with the Instruction to Bidders; or | |
| (c) does not accept the correction of the | e Bid Price pursuant to Clause 27; we |
| undertake to pay to the Employer up to | the above amount upon receipt of |
| his first written demand, without the E | Employer having to substantiate his |
| demand, provided that in his demand th | e Employer will note that the amount |
| claimed by him is due to him owing to t | the occurrence of one or any of the |
| three conditions, specifying the occurred | d condition or conditions. |

for submission of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Bank not later than the above date.

| DATE SIGNATURE OF THE BANK | |
|----------------------------|---|
| WITNESS SEAL | _ |
| | |

[Signature, name, and address]

- ¹ The Bidder should insert the amount of the guarantee in words and figures denominated in Indian Rupees. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.
- ² 45 days after the end of the validity period of the Bid.

PERFORMANCE BANK GUARANTEE

| To: [Name of Employer] | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------|
| [Address of Employer] | | |
| WHEREAS | | |
| | Idress of Contractor] | |
| (Hereinafter called "the Contract | tor") has undertaken, | in pursuance of |
| Contract No. | Dated | to execute |
| [Name of Contract and | d brief description of \ | Works] |
| (Hereinafter ca | illed "the Contract"); | |
| AND WHEREAS it has been stipulate Contractor shall furnish you with a Both the sum specified therein as securit accordance with the Contract; | ank Guarantee by a | recognized bank for |
| AND WHEREAS we have agreed to giv | ve the Contractor suc | h a Bank Guarantee; |
| NOW THEREFORE we hereby affirm the | at we are Guaranto | or and responsible |
| to you, on behalf of the Contractor, | upto a total of | |
| [Amount of Guarantee]1 | | [in words] |
| such sums being payable in the types | and proportions of cu | rrencies in which the |
| Contract Price is payable, and we un | ndertake to pay you, u | upon your first written |
| demand and without cavil or argume | ent, any sums or sums | within the limit of |
| | [Amount of Guaran | tee]¹ as aforesaid |
| without your needing to prove or to st | how grounds or reaso | ns for your demand |
| for the sum specified therein. | | |
| We hereby waive the necessity of y | our demanding the | said debt from the |
| Contractor before presenting us with | the demand. | |
| We further agree that no change or | addition to or other | modification of the |

| terms of the Contract or of the Works to be performed there under or of any of |
|---------------------------------------------------------------------------------|
| the Contract documents which may be made between you and the |
| Contractor shall in any way release us from any liability under this guarantee, |
| and we hereby waive notice of any such change, addition or modification. |
| |
| This guarantee shall be valid until (i.e.) 28 days from the |
| date of expiry of the Defects Liability Period. |
| |
| Signature and seal of the guarantor |
| |
| Name of Bank |
| |
| Address |
| |
| Date |
| |